SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

SUITABLE WEAR PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when applying by hand-held equipment.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH CONCENTRATE from skin or eyes immediately.

Consumer protection:

DO NOT USE ON FOOD CROPS.

Environmental protection:

Extreme care must be taken to avoid spray drift onto non-crop plants outside of the target area.

DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and disposal:

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

This label is compliant with the CPA Voluntary Initiative Guidance.







Garlon® Ultra

HERBICIDE

Trademarks of Corteva Agriscience and its affiliated companies.

GROUP HERBICIDES

Product Registration Number: MAPP No.19758

A soluble concentrate containing 12 g ae/litre aminopyralid + 120 g ae/litre triclopyr.

For the control of certain PERENNIAL, HERBACEOUS and WOODY WEEDS in amenity grassland.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET PROTECT FROM FROST

Authorisation Holder: Corteva Agriscience UK Limited

CPC2 Capital Park, Fulbourn, Cambridge CB21 5XE. Telephone: 01462 457272

24 Hour Emergency Telephone Number: +44 (0) 161 884 1235 Technical Hotline: 0800 689 8899 or e-mail: ukhotline@corteva.com National Poisons Centre: 111

Marketing Company: Nomix Enviro Ltd,

Unit 8 Anton Business Park Anton Mill Road, Andover, Hampshire SP10 2NJ. Tel: 0800 032 4351

NET CONTENTS: 1 LITRE (2)

IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL HERBICIDE

Crops Situation: Amenity grassland

} Full details are given in the Important Information Maximum Individual Dose:

Maximum Number of Treatments: } on the attached leaflet

Other Specific Restrictions:

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.



Garlon Ultra®

UFI: AN65-DODO-MOOC-NOHC

Contains Triclopyr Triethylamine Salt

Wear protective eve / face protection.



WARNING

Causes serious eve irritation

May cause damage to kidneys through prolonged or repeated exposure

Very toxic to aquatic life with long lasting effects Do not breathe mist / vapours / spray.



IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eve irritation persists: Get medical advice / attention.

Collect spillage.

Dispose of contents / container to a licensed hazardous waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

> Artwork Free area for in-house print of 2D data matrix code

2310



IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL HERBICIDE

Crops/Situations: Amenity grassland

Maximum Individual Dose: 20 ml product/litre of water

Maximum Number of Treatments: One (See Other Specific Restrictions)

Other Specific Restrictions

Extreme care must be taken to avoid drift onto non-crop plants outside of the target area.

For annual applications do not use between 31st July and 1st March.

For applications made between 1st March and 1st June, 1 application may be made per calendar year.

For applications made between 1st June and 1st August, only 1 application may be made in a 2 year period.

For applications made between 1st August and 31st August, only 1 application may be made in a 3 year period.

Do not apply spot applications to more than 20% of the area.

DO NOT USE on airfields.

Do not use on land that will be grazed by livestock.

Do not use on land within one year of sowing seed.

Non-printed area on page 2 ONLY (on the back of 2D code area printed on the front page) Do not use on land where the vegetation will be cut for animal feed, fodder or bedding nor for composting or mulching within one calendar year of treatment.

Users must have received adequate instruction, training and guidance in the safe use of the product and must take all reasonable precautions to protect the health of human beings, creatures and plants and safeguard the environment.

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the Code of Practice for Using Plant Protection Products.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

WARNINGS

Take extreme care to avoid drift onto susceptible crops, non-target plants or waterways. Do not apply directly to, or allow spray drift to come into contact with agricultural or horticultural crops, amenity plantings, gardens, ponds, lakes or watercourses.

SENSITIVE PLANTS may be harmed by residues of GARLON ULTRA in soil and treated vegetation. Do not apply GARLON ULTRA on or adjacent to soil which may be used as garden top-soil, potting soil, etc. or to grass which may be cut and used as mulch or for compost for horticultural or garden crops. Do not use cuttings from treated grass for mulching or composting.

Treated grass must not be used for grazing.

ULTRA around desirable trees or shrubs, do not spray under the canopy and 1 metre at least from the trunk of desirable trees or shrubs. Care should be taken on slopes to prevent leaching into areas where desirable shrubs, etc are present.

On level ground there is negligible lateral movement but do not apply GARLON

NOTES

Grass and weeds must be actively growing to ensure good weed control and minimal check to the grass. Therefore do not spray in drought, hot or very cold weather conditions

Do not use on grass less than one year old.

To allow maximum translocation to the roots do not cut grass for 7 days after

application.

Clover will be killed by application of GARLON ULTRA. Wash equipment thoroughly with water and detergent immediately after use.

WEED CONTROL

WEEDS CONTROLLED RATES OF LISE AND TIMING OF APPLICATION

WLEDS CONTROLLED, HATES OF USE AND THINKS OF ALL LICATION		
Weeds	Rate of use mL/10 litres of water	Optimum timing of application
Bramble	150	Up to 1 metre high.
Broom	200	Up to 1 metre high.
Buddleia	200	Up to 1 metre high.
Gorse	150	Up to 1 metre high.
Japanese knotweed	200	1 metre high, with good foliage cover.

densities are high and where the grass is dense at the time of application. Woody weeds should be thoroughly wetted with the spray solution, but spraying until «run-off» will decrease activity. The use of flood jets is recommended to prevent drift. Care should be taken to avoid local overdosing. Woody weeds should not exceed a 1 metre in height. For annual applications do not use between 31st July and 1st March. For applications made between 1st March and 1st June, 1 application may be made

For localised treatment using a suitable lance from a knapsack or tractor mounted

sprayer, use a solution of 150-200 mL of GARLON ULTRA depending on the target

weed, per 10 litres of water. Higher water volumes are recommended where weed

made in a 2 year period. For applications made between 1st August and 31st August, only 1 application may be made in a 3 year period.

For applications made between 1st June and 1st August, only 1 application may be

timing of application of GARLON ULTRA is crucial and for good results GARLON

ULTRA mixing well. Top up with water and continue agitation until the spray tank is

Do not apply spot applications to more than 20% of the area.

per calendar year.

Timing of Application GARLON ULTRA should be applied between March and the end of August. The

ULTRA must be applied to actively growing weeds.

Mixing Fill the spray tank half full with water and add the required amount of GARLON

full. Maintain agitation while spraying. Use the spray immediately.

Spray Quality

Apply as a MEDIUM quality spray as defined by the BCPC system.

COMPANY ADVISORY INFORMATION

The following information does not form part of the product label under the UK plant protection products regulations and provides additional advice on product use at the discretion of Corteva Agriscience.

TRADEMARK ACKNOWLEDGEMENTS

GARLON ULTRA is a trademark of Corteva Agriscience and its affiliated companies. All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Corteva Agriscience Conditions of Supply

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use, or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



https://www.corteva.co.uk/content/dam/dpagco/corteva/eu/gb/en/files/sds/GARLON-ULTRA-SDS.pdf

Alternatively contact your supplier

SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when applying by hand-held equipment.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH CONCENTRATE from skin or eyes immediately.

Consumer protection:

DO NOT USE ON FOOD CROPS.

Environmental protection:

Extreme care must be taken to avoid spray drift onto non-crop plants outside of the target area.

DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and disposal:

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

This label is compliant with the CPA Voluntary Initiative Guidance.







Garlon® Ultra

HERBICIDE

Trademarks of Corteva Agriscience and its affiliated companies.

GROUP 4 HERBICIDES

Product Registration Number: MAPP No.19758

A soluble concentrate containing 12 g ae/litre aminopyralid + 120 g ae/litre triclopyr.

For the control of certain PERENNIAL, HERBACEOUS and WOODY WEEDS in amenity grassland.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET PROTECT FROM FROST

Authorisation Holder:

Corteva Agriscience UK Limited

CPC2 Capital Park, Fulbourn, Cambridge CB21 5XE. Telephone: 01462 457272

24 Hour Emergency Telephone Number: +44 (0) 161 884 1235
Technical Hotline: 0800 689 8899 or e-mail: ukhotline@corteva.com
National Poisons Centre: 111

Marketing Company: Nomix Enviro Ltd.

Nomix Enviro Ltd, Unit 8 Anton Business Park, Anton Mill Road, Andover, Hampshire SP10 2NJ. Tel: 0800 032 4351

NET CONTENTS: 1 LITRE (

IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL HERBICIDE

... 002 01121 710 71 1101 2001011112 11211510152

Crops Situation: Amenity grassland

Maximum Individual Dose: Full details are given in the Important Information

Maximum Number of Treatments: } on the attached leaflet

Other Specific Restrictions: }

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.



Garlon Ultra®

UFI: AN65-DODO-MOOC-NQHC

Contains Triclopyr Triethylamine Salt



WARNING

Causes serious eye irritation

Wear protective eve / face protection.

May cause damage to kidneys through prolonged or repeated exposure

Very toxic to aquatic life with long lasting effects
Do not breathe mist / vapours / spray.



IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eve irritation persists: Get medical advice / attention.

Collect spillage.

Dispose of contents / container to a licensed hazardous waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.