

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GALAXY™
Unique Formula Identifier (UFI) : WYS3-D04J-E008-J9X8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : End use herbicide product

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Ltd
CPC2 CAPITAL PARK
FULBOURN CAMBRIDGE - England - CB21 5XE
UNITED KINGDOM

Customer Information Number : +44 8006 89 8899
E-mail address : SDS@corteva.com

1.4 Emergency telephone number

SGS +32 3 575 55 55 OR
+44 161 88 41235

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin irritation, Category 2 H315: Causes skin irritation.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758




GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Serious eye damage, Category 1	H318: Causes serious eye damage.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms : 

Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, aromatics, <1% naphthalene
Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide
clopypalid (ISO)
Hydrocarbons, C10, aromatics, <1% naphthalene

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version 1.0 Revision Date: 11.12.2023 SDS Number: 800080004508 Date of last issue: -
Date of first issue: 11.12.2023

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
fluroxypyr-meptyl (ISO)	81406-37-3 279-752-9 607-272-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	14.28
clopyralid (ISO)	1702-17-6 216-935-4 607-231-00-1	Eye Dam. 1; H318 Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 10	7.7
florasulam (ISO)	145701-23-1 613-230-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	0.24
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	Not Assigned 922-153-0 01-2119451097-39, 01-2119451097-39- 0008, 01- 2119451097-39-	Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 40 - < 50

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version 1.0 Revision Date: 11.12.2023 SDS Number: 800080004508 Date of last issue: -
Date of first issue: 11.12.2023

	0009, 01-2119451097-39-0010		
Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide	Not Assigned 909-125-3 01-2119974115-37	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 10 - < 20
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6 01-2119964467-24	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 3 - < 10
hexan-1-ol	111-27-3 203-852-3 603-059-00-6 01-2119487967-12	Flam. Liq. 3; H226 Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 1 - < 3
Hydrocarbons, C10, aromatics, <1% naphthalene	1189173-42-9 918-811-1 01-2119463583-34-0008, 01-2119463583-34-0009, 01-2119463583-34-0010	STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
If breathing is difficult, oxygen should be administered by qualified personnel.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Suitable emergency safety shower facility should be available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

- in work area.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.
- If swallowed : Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). Maintain adequate ventilation and oxygenation of the patient. May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids may be of help. Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of respiratory distress. If burn is present, treat as any thermal burn, after decontamination. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Nitrogen oxides (NO_x)
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.
Use personal protective equipment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and dis-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

posal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Local/Total ventilation	:	Use with local exhaust ventilation.
Advice on safe handling	:	Avoid formation of aerosol. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Handle in accordance with good industrial hygiene and safety practice. Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the application area. Do not get on skin or clothing. Do not breathe vapours or spray mist. Do not swallow. Do not get in eyes. Avoid contact with skin and eyes. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store near acids. Strong oxidizing agents

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version 1.0 Revision Date: 11.12.2023 SDS Number: 800080004508 Date of last issue: -
Date of first issue: 11.12.2023

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
fluroxypyr-meptyl (ISO)	81406-37-3	Time Weighted Average (TWA):	10 mg/m ³	Dow IHG
clopyralid (ISO)	1702-17-6	Time weighted average	10 mg/m ³	Dow IHG

8.2 Exposure controls

Engineering measures

Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.

Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye/face protection : Use chemical goggles.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Styrene/butadiene rubber. Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	Yellow to brown
Odour	:	Aromatic
Odour Threshold	:	No data available
pH	:	2.49 (23.7 °C) Method: CIPAC MT 75 (1% aqueous suspension)
Melting point/range	:	No data available
Boiling point/boiling range	:	Test not performed, the product is a liquid.
Flash point	:	ca. 100 °C Method: Pensky-Martens Closed Cup ASTM D 93
Upper explosion limit / Upper flammability limit	:	Test not performed, the product is a liquid.
Lower explosion limit / Lower flammability limit	:	Test not performed, the product is a liquid.
Vapour pressure	:	Test not performed, the product is a liquid.
Relative vapour density	:	Test not performed, the product is a liquid.
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Auto-ignition temperature	:	none below 400 degC
Viscosity	:	
Viscosity, kinematic	:	7.8 cSt (40 °C)
Explosive properties	:	No
Oxidizing properties	:	No

9.2 Other information

Surface tension	:	36.1 mN/m, 25 °C
-----------------	---	------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids
Strong bases

10.6 Hazardous decomposition products

Carbon oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

fluroxypyr-meptyl (ISO):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

clopyralid (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration., The LC50 value is greater than the Maximum Attainable Concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

florasulam (ISO):

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.0 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: For similar material(s):

Acute inhalation toxicity : LD50 (Rat): > 4.778 mg/l
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: For similar material(s):

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.551 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD 401 or equivalent
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity
Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 - < 1,600 mg/kg
Method: OECD 402 or equivalent
Remarks: For similar material(s):

hexan-1-ol:

Acute oral toxicity : LD50 (Rat): 3,210 mg/kg
Remarks: Observations in animals include:
May cause central nervous system depression.

Acute inhalation toxicity : LC50 (Rat, male and female): > 21 mg/l
Exposure time: 1 h
Test atmosphere: vapour
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 2,530 mg/kg

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat): > 4.688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: For similar material(s):
Maximum attainable concentration.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: For similar material(s):

Skin corrosion/irritation

Components:

fluroxypyr-meptyl (ISO):

Species : Rabbit
Result : No skin irritation

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Species : Rabbit
Result : Skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species : Rabbit
Result : Skin irritation

hexan-1-ol:

Result : Mild skin irritation

Serious eye damage/eye irritation

Components:

clopyralid (ISO):

Species : Rabbit
Result : Corrosive

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Species : Rabbit
Result : Corrosive

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Result : Corrosive

hexan-1-ol:

Result : Eye irritation

Respiratory or skin sensitisation

Product:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Method : OECD Test Guideline 406
Remarks : Information source: Internal study report

Components:

fluroxypyr-meptyl (ISO):

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

clopyralid (ISO):

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

florasulam (ISO):

Remarks : Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Remarks : For similar material(s):
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Remarks : For similar material(s):

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Remarks : For skin sensitization:
For similar material(s):
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

hexan-1-ol:

Assessment : Does not cause skin sensitisation.
Remarks : Did not cause allergic skin reactions when tested in guinea pigs.
Did not cause allergic skin reactions when tested in humans.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Remarks : For respiratory sensitization:
No relevant data found.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Remarks : For similar material(s):
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Germ cell mutagenicity

Components:

fluroxypyr-meptyl (ISO):

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

clopyralid (ISO):

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

florasulam (ISO):

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Germ cell mutagenicity- Assessment : For similar material(s);, In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Germ cell mutagenicity- Assessment : For similar material(s);, In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

hexan-1-ol:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Germ cell mutagenicity- Assessment : For similar material(s);, In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Carcinogenicity

Components:

fluroxypyr-meptyl (ISO):

Carcinogenicity - Assessment : For similar active ingredient(s), Fluroxypyr., Did not cause cancer in laboratory animals.

clopyralid (ISO):

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

florasulam (ISO):

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Carcinogenicity - Assessment : Contains naphthalene which has caused cancer in some laboratory animals., However, the relevance of this to humans is unknown.

hexan-1-ol:

Carcinogenicity - Assessment : Did not cause cancer in animal skin painting studies.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Carcinogenicity - Assessment : Contains naphthalene which has caused cancer in some laboratory animals., However, the relevance of this to humans is unknown.

Reproductive toxicity

Components:

fluroxypyr-meptyl (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory animals.

clopyralid (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure.

florasulam (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Did not cause birth defects or other effects in the fetus even at

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

doses which caused toxic effects in the mother.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Reproductive toxicity - Assessment : For similar material(s); Did not cause birth defects or any other fetal effects in laboratory animals.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Reproductive toxicity - Assessment : For similar material(s); Did not cause birth defects or any other fetal effects in laboratory animals.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Reproductive toxicity - Assessment : For similar material(s); In animal studies, did not interfere with reproduction.
For similar material(s); Did not cause birth defects or any other fetal effects in laboratory animals.

hexan-1-ol:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
Did not cause birth defects in laboratory animals.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
For similar material(s); Did not cause birth defects or any other fetal effects in laboratory animals.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

clopyralid (ISO):

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Exposure routes : Inhalation
Assessment : May cause respiratory irritation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

hexan-1-ol:

Exposure routes : Oral
Target Organs : Central nervous system
Assessment : May cause drowsiness or dizziness.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Exposure routes : Inhalation
Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Repeated dose toxicity

Components:

fluroxypyr-meptyl (ISO):

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

clopyralid (ISO):

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

florasulam (ISO):

Remarks : In animals, effects have been reported on the following organs:
Kidney.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Remarks : For similar material(s):
Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Remarks : For similar material(s):

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

In animals, effects have been reported on the following organs:
Kidney.

hexan-1-ol:

Remarks : In animals, effects have been reported on the following organs:
Gastrointestinal tract.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Aspiration toxicity

Components:

fluroxypyr-meptyl (ISO):

Based on physical properties, not likely to be an aspiration hazard.

clopyralid (ISO):

Based on physical properties, not likely to be an aspiration hazard.

florasulam (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

May be harmful if swallowed and enters airways.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Based on physical properties, not likely to be an aspiration hazard.

hexan-1-ol:

May be harmful if swallowed and enters airways.

Hydrocarbons, C10, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent
Remarks: Information source: Internal study report
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l
End point: Biomass
Exposure time: 72 h
Method: OECD Test Guideline 201 or Equivalent
- ErC50 (diatom Navicula sp.): 1.7 mg/l
End point: Biomass
Exposure time: 72 h
Method: OECD Test Guideline 201 or Equivalent
- ErC50 (Lemna gibba): 0.0424 mg/l
End point: Growth rate inhibition
Exposure time: 7 d
Method: OECD Test Guideline 221
- Toxicity to soil dwelling organisms : LC50: 248.21 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
- Toxicity to terrestrial organisms : oral LD50: > 2250 mg/kg bodyweight.
Species: Colinus virginianus (Bobwhite quail)
- oral LD50: > 86.7 µg/bee
Exposure time: 48 h
Species: Apis mellifera (bees)
- contact LD50: > 200 µg/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

fluroxypyr-meptyl (ISO):

- Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

- an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).
- LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.225 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203 or Equivalent
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.183 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202 or Equivalent
- Toxicity to algae/aquatic plants : ErC50 (diatom Navicula sp.): 0.24 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent
- EbC50 (alga Scenedesmus sp.): > 0.47 mg/l
Exposure time: 72 h
- ErC50 (Selenastrum capricornutum (green algae)): > 1.410 mg/l
Exposure time: 96 h
- ErC50 (Myriophyllum spicatum): 0.075 mg/l
Exposure time: 14 d
- NOEC (Myriophyllum spicatum): 0.031 mg/l
Exposure time: 14 d
- Toxicity to fish (Chronic toxicity) : NOEC: 0.32 mg/l
Species: Rainbow trout (Oncorhynchus mykiss)
- Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Species: Eisenia fetida (earthworms)
- Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).
Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).
- oral LD50: > 2000 mg/kg bodyweight.
Exposure time: 5 d
Species: Colinus virginianus (Bobwhite quail)
- dietary LC50: > 5000 mg/kg diet.
Species: Colinus virginianus (Bobwhite quail)
- oral LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

contact LD50: > 100 micrograms/bee

Exposure time: 48 h

Species: Apis mellifera (bees)

clopyralid (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 99.9 mg/l
Exposure time: 96 h
Test Type: static test
- NOEC (Lepomis macrochirus (Bluegill sunfish)): > 102 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 99 mg/l
Exposure time: 48 h
Test Type: static test
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 33.1 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
- ErC50 (Myriophyllum spicatum): > 3 mg/l
Exposure time: 14 d
- NOEC (Myriophyllum spicatum): 0.0089 mg/l
Exposure time: 14 d
- Toxicity to microorganisms : (Bacteria): > 100 mg/l
- Toxicity to fish (Chronic toxicity) : NOEC: 10.8 mg/l
End point: Other
Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 17 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: static test
Method: OECD Test Guideline 211 or Equivalent
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Exposure time: 14 d
End point: survival
Species: Eisenia fetida (earthworms)
- Toxicity to terrestrial organisms : oral LD50: 1465 mg/kg bodyweight.
Species: Anas platyrhynchos (Mallard duck)
- dietary LC50: > 5000 mg/kg diet.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Species: *Anas platyrhynchos* (Mallard duck)

oral LD50: > 100 micrograms/bee
Exposure time: 48 h
End point: mortality
Species: *Apis mellifera* (bees)

contact LD50: > 98.1 micrograms/bee
Species: *Apis mellifera* (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

florasulam (ISO):

Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 292 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 0.00894 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

EC50 (*Myriophyllum spicatum*): > 0.305 mg/l
End point: Growth inhibition
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 119 mg/l
End point: mortality
Exposure time: 28 d
Species: *Oncorhynchus mykiss* (rainbow trout)
Test Type: flow-through test

NOEC: > 2.9 mg/l
End point: Other

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 38.90 mg/l
End point: growth
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

MATC (Maximum Acceptable Toxicant Level): 50.2 mg/l
End point: growth
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 1,320 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : Remarks: Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg).
Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50: 1047 mg/kg bodyweight.
Species: Coturnix japonica (Japanese quail)

dietary LC50: > 5,000 ppm
Exposure time: 8 d
Species: Anas platyrhynchos (Mallard duck)

oral LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

contact LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Toxicity to fish : Remarks: For similar material(s):
Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

EC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l
Exposure time: 96 h
Remarks: For similar material(s):

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h
Remarks: For similar material(s):

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l
Exposure time: 72 h
Remarks: For similar material(s):

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 7.7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 16.06 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : Remarks: Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50 (zebra fish (Brachydanio rerio)): 31.6 mg/l
Exposure time: 96 h
Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 62 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 29 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
Remarks: For similar material(s):

Toxicity to microorganisms : EC50 (activated sludge): 550 mg/l
End point: Respiration rates.
Exposure time: 3 h
Remarks: For similar material(s):

Toxicity to fish (Chronic toxicity) : NOEC: 0.23 mg/l
End point: survival

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version 1.0 Revision Date: 11.12.2023 SDS Number: 800080004508 Date of last issue: -
Date of first issue: 11.12.2023

Exposure time: 72 d
Species: Rainbow trout (*Salmo gairdneri*)
Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.18 mg/l
End point: number of offspring
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Remarks: For similar material(s):

hexan-1-ol:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 97.2 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: Other guidelines

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 201 mg/l
Exposure time: 24 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 79.7 mg/l
End point: Growth rate inhibition
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

Toxicity to microorganisms : EC50 (Protozoa): 300.4 mg/l
Exposure time: 48 h

Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna*): 3 - 10 mg/l
Exposure time: 48 h
Remarks: For similar material(s):

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 11 mg/l
Exposure time: 72 h
Remarks: For similar material(s):

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

12.2 Persistence and degradability

Components:

fluroxypyr-meptyl (ISO):

Biodegradability : Result: Not biodegradable
Remarks: Material is not readily biodegradable according to OECD/EEC guidelines.

Biodegradation: 32 %
Exposure time: 28 d
Method: OECD Test Guideline 301D or Equivalent
Remarks: 10-day Window: Fail

ThOD : 2.2 kg/kg

Stability in water : Test Type: Hydrolysis
Degradation half life: 454 d

clopyralid (ISO):

Biodegradability : Biodegradation: 5 - 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Biochemical Oxygen Demand (BOD) : 0 mg/g 0 %
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 0.73 kg/kg

ThOD : 0.71 kg/kg

Stability in water : Test Type: Hydrolysis
pH: 4 - 9
Method: Stable

Photodegradation : Test Type: Half-life (direct photolysis)

florasulam (ISO):

Biodegradability : Result: Not biodegradable
Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

Biodegradation: 2 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Biochemical Oxygen Demand (BOD) : 0.012 kg/kg
Incubation time: 5 d

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

ThOD : 0.85 kg/kg

Stability in water : Degradation half life: > 30 d

Photodegradation : Rate constant: 7.04E-11 cm³/s
Method: Estimated.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Biodegradability : Remarks: For similar material(s):
Biodegradation may occur under aerobic conditions (in the presence of oxygen).
Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Biodegradability : Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Result: Readily biodegradable.
Biodegradation: > 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301F or Equivalent
Remarks: 10-day Window: Pass

Chemical Oxygen Demand (COD) : 2.890 mg/g

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Biodegradability : Biodegradation: 2.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301E or Equivalent
Remarks: 10-day Window: Fail

hexan-1-ol:

Biodegradability : Result: Readily biodegradable.
Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Concentration: 2 mg/l
Biodegradation: 61 %
Exposure time: 30 d
Method: OECD Test Guideline 301D or Equivalent
Remarks: 10-day Window: Pass

Concentration: 5 mg/l
Biodegradation: 77 %
Exposure time: 30 d
Method: OECD Test Guideline 301D or Equivalent
Remarks: 10-day Window: Pass

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Remarks: Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability).

12.3 Bioaccumulative potential

Components:

fluroxypyr-meptyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 26
Method: Measured

Partition coefficient: n-octanol/water :

log Pow: 5.04
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

clopyralid (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): < 1
Method: Measured

Partition coefficient: n-octanol/water :

log Pow: -2.63
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

florasulam (ISO):

Bioaccumulation : Species: Fish
Exposure time: 28 d
Temperature: 13 °C
Bioconcentration factor (BCF): 0.8
Method: Measured

Partition coefficient: n-octanol/water :

log Pow: -1.22
pH: 7.0
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Partition coefficient: n-octanol/water : Remarks: No data available for this product.
For similar material(s):

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Partition coefficient: n-octanol/water : log Pow: < 3.44 (20 °C)
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Partition coefficient: n-octanol/water : log Pow: 4.6
Method: OECD Test Guideline 107 or Equivalent
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

hexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 1.8
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Hydrocarbons, C10, aromatics, <1% naphthalene:

Partition coefficient: n-octanol/water : Remarks: No data available for this product.
For similar material(s):
Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

12.4 Mobility in soil

Components:

fluroxypyr-meptyl (ISO):

Distribution among environmental compartments : Koc: 6200 - 43000
Remarks: Expected to be relatively immobile in soil (Koc > 5000).

clopyralid (ISO):

Distribution among environmental compartments : Koc: 4.9
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Stability in soil : Test Type: aerobic degradation
Dissipation time: 71 d
Method: Estimated.

florasulam (ISO):

Distribution among environmental compartments : Koc: 4 - 54
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Stability in soil : Dissipation time: 0.7 - 4.5 d

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Distribution among environmental compartments : Remarks: No relevant data found.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Distribution among environmental compartments : Koc: 527.3
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Distribution among environmental compartments : Remarks: No relevant data found.

hexan-1-ol:

Distribution among environmental compartments : Koc: 8.3
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Hydrocarbons, C10, aromatics, <1% naphthalene:

Distribution among environmental compartments : Remarks: No relevant data found.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

fluroxypyr-meptyl (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

clopyralid (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

florasulam (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

hexan-1-ol:

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

fluroxypyr-meptyl (ISO):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

clopyralid (ISO):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

florasulam (ISO):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

of substances that deplete the ozone layer.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

hexan-1-ol:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number

ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version 1.0 Revision Date: 11.12.2023 SDS Number: 800080004508 Date of last issue: -
Date of first issue: 11.12.2023

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr, Clopyralid)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr, Clopyralid)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr, Clopyralid)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Fluroxypyr, Clopyralid)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : Stowage category A

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(Fluroxypyr, Clopyralid)

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Registration Number : MAPP 18952

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009.

Refer to the label for exposure assessment information.

SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
Dow IHG	:	Dow Industrial Hygiene Guideline
Dow IHG / TWA	:	Time Weighted Average (TWA):
Dow IHG / TWA	:	Time weighted average

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

Further information

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



GALAXY™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.12.2023	800080004508	Date of first issue: 11.12.2023

Other information : The data given in this Safety Data Sheet are recognized as valid and approved by our company. The national Competent Authority has determined its classification based on other criteria. Our company abides by the applicable national decision and has therefore implemented the mandated classifications, however, the approved company data will still be presented.

Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Product code: GF-1374

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N