# **HARBEST**

Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: HARBEST Trade name: HARBEST

Unique Formula Identifier (UFI): 3E50-S0SS-700Q-GF62

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Fertilizer. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Stoller Europe S.L.U.

Max Planck 1

03203 Elche - Alicante - España Phone: +34 965 11 05 22 info@stollereurope.com www.stollereurope.com

**1.4** Emergency telephone number: +44 161 88 41235

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture:

### **GB CLP Regulation:**

Classification of this product has been carried out in accordance with GB CLP Regulation.

Eye Irrit. 2: Eye irritation, Category 2, H319

Repr. 1B: Reproductive toxicity, Category 1B, H360FD

# 2.2 Label elements:

### **GB CLP Regulation:**

### Danger





# Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Repr. 1B: H360FD - May damage fertility. May damage the unborn child.

# Precautionary statements:

P201: Obtain special instructions before use.

P264: Wash thoroughly after use.

P280: We ar protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of the contents and/or its container in line with regulations on dangerous waste or packaging and waste packaging respectively.

### Substances that contribute to the classification

Boric acid

# Additional Labelling:

Restricted to professional users

# 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### **HARBEST**

Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

### 3.1 Substance:

Non-applicable

### 3.2 Mixture:

Chemical description: Mixture composed of inorganic substances

#### Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentration
040	10010 50 1	calcium chloride	25 - <50 %
CAS: 10043-52-4	10043-52-4	Eye Irrit. 2: H319 - Warning	25 - <50 %
040		Boric acid	-4.0/
CAS:	10043-35-3	Repr. 1B: H360FD - Danger	<1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

# By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

### By eye contact

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media:

# Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

# Unsuitable extinguishing media:

Non-applicable

# 5.2 Special hazards arising from the substance or mixture:



Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 5: FIREFIGHTING MEASURES (continued)

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage



Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 7: HANDLING AND STORAGE (continued)

Minimum Temp.: 0 °C

Maximum Temp.: 35 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

### **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
calcium chloride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10043-52-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 233-140-8	Inhalation	Non-applicable	10 mg/m³	Non-applicable	5 mg/m³
Boric acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10043-35-3	Dermal	Non-applicable	Non-applicable	392 mg/kg	Non-applicable
EC: 233-139-2	Inhalation	Non-applicable	Non-applicable	8.3 mg/m³	Non-applicable

# DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
calcium chloride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10043-52-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 233-140-8	Inhalation	Non-applicable	5 mg/m³	Non-applicable	2.5 mg/m³
Boric acid	Oral	0.98 mg/kg	Non-applicable	0.98 mg/kg	Non-applicable
CAS: 10043-35-3	Dermal	Non-applicable	Non-applicable	196 mg/kg	Non-applicable
EC: 233-139-2	Inhalation	Non-applicable	Non-applicable	4.15 mg/m³	Non-applicable

# PNEC:

Identification				
Boric acid	STP	10 mg/L	Fresh water	2.9 mg/L
CAS: 10043-35-3	Soil	5.7 mg/kg	Marine water	2.9 mg/L
EC: 233-139-2	Intermittent	13.7 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

# C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

# D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Face shield	Clean daily and disinfect periodically according to the manufacturer's instructions.  Use if there is a risk of splashing.

# E.- Body protection

Pictogram	PPE	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk	Replace boots at any sign of deterioration.

# F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
<b>*</b>	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>-</b>	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

# Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012:

V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L)

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

\*Not relevant due to the nature of the product, not providing information property of its hazards.



Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Odour:

Characteristic

Odour threshold:

Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: 100 °C

Vapour pressure at 20 °C: Non-applicable \*

Vapour pressure at 50 °C: 12381.01 Pa (12.38 kPa)

Evaporation rate at 20 °C: Non-applicable \*

Product description:

Density at 20 °C: ~1310 - 1350 kg/m³
Relative density at 20 °C: Non-applicable \*

Dynamic viscosity at 20 °C: 2.73 cP Kinematic viscosity at 20 °C: 2 mm²/s

Kinematic viscosity at 40 °C: Non-applicable \* Concentration: Non-applicable \* pH: ~4 - 6 (at 10 %) Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Solubility properties: Non-applicable \* Decomposition temperature: Non-applicable \* Melting point/freezing point: Non-applicable \*

Flammability:

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Non-applicable \*

Non-applicable \*

Non-applicable \*

Non-applicable \*

Upper flammability limit:

Non-applicable \*

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Non-applicable \*

Non-applicable \*

Non-applicable \*

components:

Other safety characteristics:

\*Not relevant due to the nature of the product, not providing information property of its hazards.



Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Surface tension at 20 °C:

Non-applicable \*

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: Mixture based on inorganic substances.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Corrosivity/Irritability:
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: May impair fertility. May damage the foetus
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

# Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
calcium chloride	LD50 oral	2301 mg/kg	Rat
CAS: 10043-52-4	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Boric acid	LD50 oral	4080 mg/kg	Rat
CAS: 10043-35-3	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

# **SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available Release of components in this product to the aquatic environment could cause eutrophication.

### 12.1 Toxicity:

# Acute toxicity:

Identification	Concentration		Species	Genus
calcium chloride		4630 mg/L (96 h)	Pimephales promelas	Fish
CAS: 10043-52-4		2400 mg/L (48 h)	Daphnia magna	Crustacean
		27000 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Boric acid		447 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 10043-35-3		Non-applicable		
	EC50	Non-applicable		

# Chronic toxicity:

# **HARBEST**

Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
calcium chloride	NOEC	230 mg/L	Oncorhynchus mykiss	Fish
CAS: 10043-52-4		481 mg/L	Daphnia magna	Crustacean
Boric acid	NOEC	11.2 mg/L	Pimephales promelas	Fish
CAS: 10043-35-3	NOEC	25.9 mg/L	Hyalella azteca	Crustacean

# 12.2 Persistence and degradability:

Not available

### 12.3 Bioaccumulative potential:

# Substance-specific information:

Identification Bioaccumulation potential		mulation potential
Boric acid	BCF	0
CAS: 10043-35-3	Pow Log	-0.76
	Potential	Low

### 12.4 Mobility in soil:

Not available

#### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

### 12.6 Other adverse effects:

Not described

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods:

Code	Description	Waste class
06 10 02*	wastes containing hazardous substances	Dangerous

# Type of waste:

HP10 Toxic for reproduction, HP4 Irritant — skin irritation and eye damage

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

# Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

# **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Boric acid (10043-35-3)
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Control of Major Accident Hazards Regulations 2015:



Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 15: REGULATORY INFORMATION (continued)

### Non-applicable

# Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

The Fertilisers and Ammonium Nitrate Material (Amendment) (EU Exit) Regulations 2019.

# **SECTION 16: OTHER INFORMATION**

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020

# Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H360FD: May damage fertility. May damage the unborn child.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### **GB CLP Regulation:**

Eye Irrit. 2: H319 - Causes serious eye irritation.

Repr. 1B: H360FD - May damage fertility. May damage the unborn child.

# Classification procedure:

Eye Irrit. 2: Calculation method Repr. 1B: Calculation method

# Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:



# **HARBEST**

Date of compilation: 27/04/2023 Revised: 18/07/2023 Version: 4 (Replaced 3)

# SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.