According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LONTREL™ 600

Unique Formula Identifier : 7J08-U0N9-N008-PTT1

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : End use herbicide product

stance/Mixture

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Ltd CPC2 CAPITAL PARK

FULBOURN CAMBRIDGE - England - CB21 5XE

UNITED KINGDOM

Customer Information : +44 8006 89 8899

Number

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

SGS +32 3 575 55 55 OR

+44 161 88 41235

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Supplemental Hazard : EUH401 To avoid risks to human health and the envi-

Statements ronment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Clopyralid-dimethylammonium salt	1096483-37-2	Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 10	60.24
5,6-Dichloro-2-pyridinecarboxylic Acid	88912-24-7	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

If inhaled : Move person to fresh air. If person is not breathing, call an

emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment

advice.

In case of skin contact : Take off contaminated clothing. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center

or doctor for treatment advice.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

minutes, then continue rinsing eyes. Call a poison con center or doctor for treatment advice.

Suitable emergency eye wash facility should be available in

work area.

If swallowed : No emergency medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No specific antidote.

Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient.

Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or

doctor, or going for treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use appropriate safety equipment. For additional information,

refer to Section 8, Exposure Controls and Personal Protection.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorb-

ant.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

be pumped,

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Neutralize with chalk, alkali solution or ammonia.

See Section 13, Disposal Considerations, for additional infor-

mation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Handle in accordance with good industrial hygiene and safety

practice.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Store in a closed container. Keep in properly labelled contain-

ers. Store in accordance with the particular national regula-

tions.

Advice on common storage : Do not store near acids.

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No

1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values. Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye/face protection Hand protection

Use chemical goggles.

Remarks : Use gloves chemically resistant to this material when pro-

longed or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instruc-

tions/specifications provided by the glove supplier.

Skin and body protection Respiratory protection

Wear clean, body-covering clothing.

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced,

or where indicated by your risk assessment process.

For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved

air-purifying respirator.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Liquid.
Colour : Yellow
Odour : amine-like

Odour Threshold : No test data available

pH : 3.51 (20 °C)

Method: CIPAC MT 75.3

Melting point/range : Not applicable

Freezing point No test data available

Boiling point/boiling range : No test data available

Flash point : $> 130 \, ^{\circ}\text{C}$

Method: EC Method A9, closed cup

Evaporation rate : No test data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No test data available

Relative vapour density : No test data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Density : 1.23 g/cm3 (20 °C)

Solubility(ies)

Water solubility : Miscible with water

Auto-ignition temperature : 441 °C

Method: EC Method A15

Viscosity

Viscosity, dynamic : 6.75 mPa,s (40 °C)

Method: OECD 114

14.63 mPa.s (20 °C) Method: OECD 114

Explosive properties : No

Oxidizing properties : No

9.2 Other information

Surface tension : 71 mN/m, 20 °C, EC Method A5

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned.

None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong bases

10.6 Hazardous decomposition products

Carbon oxides

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.12 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: For similar material(s):

Components:

Clopyralid-dimethylammonium salt:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat): > 5.12 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: For similar material(s):

5,6-Dichloro-2-pyridinecarboxylic Acid:

Acute oral toxicity : LD50 (Rat, male): 1,200 mg/kg

LD50 (Rat, female): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: No deaths occurred at this concentration., The

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

LC50 value is greater than the Maximum Attainable Concen-

tration.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: For similar material(s):

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

5,6-Dichloro-2-pyridinecarboxylic Acid:

Species : Rabbit Result : Corrosive

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Does not cause skin sensitisation.

Components:

Clopyralid-dimethylammonium salt:

Remarks : For similar material(s):

Did not demonstrate the potential for contact allergy in mice.

Remarks : For respiratory sensitization:

No relevant data found.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Remarks : For similar material(s):

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Germ cell mutagenicity

Components:

Clopyralid-dimethylammonium salt:

Germ cell mutagenicity- As-

sessment

For similar active ingredient(s)., Clopyralid., In vitro genetic toxicity studies were negative., Animal genetic toxicity studies

were negative.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Germ cell mutagenicity- As-

sessment

For similar material(s):, In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Carcinogenicity

Components:

Clopyralid-dimethylammonium salt:

Carcinogenicity - Assess-

ment

For similar active ingredient(s)., Clopyralid., Did not cause

cancer in laboratory animals.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Carcinogenicity - Assess-

ment

For similar material(s):, Did not cause cancer in laboratory

animals.

Reproductive toxicity

Components:

Clopyralid-dimethylammonium salt:

Reproductive toxicity - As-

sessment

For similar active ingredient(s)., Clopyralid., In animal studies,

did not interfere with reproduction.

For similar active ingredient(s)., Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Reproductive toxicity - As-

sessment

For similar material(s):, In animal studies, did not interfere with reproduction.

For similar material(s):, Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than

those expected during normal exposure.

STOT - single exposure

Product:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

Components:

Clopyralid-dimethylammonium salt:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

Repeated dose toxicity

Components:

Clopyralid-dimethylammonium salt:

Remarks : For similar active ingredient(s).

Clopyralid.

Based on available data, repeated exposures are not antici-

pated to cause significant adverse effects.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Remarks : For similar material(s):

Based on available data, repeated exposures are not antici-

pated to cause additional significant adverse effects.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Clopyralid-dimethylammonium salt:

Based on physical properties, not likely to be an aspiration hazard.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Rainbow trout (Oncorhynchus mykiss)): > 100 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Algae (Desmodesmus subspicatus)): > 100 mg/l

Exposure time: 72 h

ErC50 (Myriophyllum spicatum): 73.1 mg/l

Exposure time: 14 d

NOEC (Myriophyllum spicatum): 31.3 mg/l

Exposure time: 14 d

Components:

Clopyralid-dimethylammonium salt:

Toxicity to fish : Remarks: For similar material(s):

Material is practically non-toxic to fish on an acute basis

(LC50 > 100 mg/L).

LC50 (Oncorhynchus mykiss (rainbow trout)): > 99.9 mg/l

Exposure time: 96 h Test Type: static test

Remarks: For similar material(s):

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 102 mg/l

Exposure time: 96 h

Remarks: For similar material(s):

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 99 mg/l

Exposure time: 48 h Test Type: static test

Remarks: For similar material(s):

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 33.1

mg/l

End point: Growth rate inhibition

Exposure time: 96 h

Remarks: For similar material(s):

ErC50 (Myriophyllum spicatum): > 3 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

NOEC (Myriophyllum spicatum): 0.0089 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

M-Factor (Chronic aquatic

toxicity)

10

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 99.9 mg/l

Exposure time: 96 h Test Type: static test

Remarks: For similar material(s):

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 102 mg/l

Exposure time: 96 h

Remarks: For similar material(s):

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 99 mg/l

Exposure time: 48 h Test Type: static test

Remarks: For similar material(s):

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 33.1

mg/l

End point: Growth rate inhibition

Exposure time: 96 h

Remarks: For similar material(s):

EC50 (blue-green alga Anabaena flos-aquae): 37.1 mg/l

Exposure time: 120 h

Remarks: For similar material(s):

EC50 (Lemna gibba): 89 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

Toxicity to terrestrial organ-

isms

oral LD50: 1465 mg/kg bodyweight.

Species: Anas platyrhynchos (Mallard duck)

Remarks: Based on information for a similar material:

dietary LC50: > 5000 mg/kg diet.

Species: Anas platyrhynchos (Mallard duck)

Remarks: Based on information for a similar material:

12.2 Persistence and degradability

Components:

Clopyralid-dimethylammonium salt:

Biodegradability : Remarks: For similar active ingredient(s).

Clopyralid.

Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegra-

dability.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

5,6-Dichloro-2-pyridinecarboxylic Acid:

Biodegradability : Biodegradation: 5 - 10 %

Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

Remarks: 10-day Window: Fail

12.3 Bioaccumulative potential

Components:

Clopyralid-dimethylammonium salt:

Partition coefficient: n-

octanol/water

Remarks: For similar active ingredient(s).

Clopyralid.

Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

5,6-Dichloro-2-pyridinecarboxylic Acid:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): < 1

Method: Measured

Remarks: For similar material(s):

12.4 Mobility in soil

Components:

Clopyralid-dimethylammonium salt:

Distribution among environ: Remarks: For similar active ingredient(s).

mental compartments Clopyralid.

Potential for mobility in soil is very high (Koc between 0 and

50).

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

Clopyralid-dimethylammonium salt:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

5,6-Dichloro-2-pyridinecarboxylic Acid:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is considered to be

very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Components:

Clopyralid-dimethylammonium salt:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

5,6-Dichloro-2-pyridinecarboxylic Acid:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable requ-

lations

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good RID : Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained : Not applicable

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Registration Number : MAPP 16821

19878

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H318 : Causes serious eye damage.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

Further information

Product code: GF-2895

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LONTREL™ 600

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.12.2023 800080003447 Date of first issue: 12.12.2023

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N