

# SAFETY DATA SHEET

Corteva Agriscience UK Ltd

Safety Data Sheet according to Reg. (EU) No 2015/830

**Product name:** SEQUOIA™ Insecticide

**Revision Date:** 10.12.2020

**Version:** 2.8

**Date of last issue:** 21.01.2022

**Print Date:** 21.01.2022

Corteva Agriscience UK Ltd encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

**Product name:** SEQUOIA™ Insecticide

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Plant Protection Product Insecticide

### 1.3 Details of the supplier of the safety data sheet

#### COMPANY IDENTIFICATION

Corteva Agriscience UK Ltd  
CPC2 CAPITAL PARK  
FULBOURN CAMBRIDGE - England - CB21 5XE  
UNITED KINGDOM

**Customer Information Number** : +44 8006 89 8899  
**E-mail address** : SDS@corteva.com

### 1.4 EMERGENCY TELEPHONE

**24-Hour Emergency Contact** : +44 161 88 41235  
**Local Emergency Contact** : +44 161 88 41235

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008:

Long-term (chronic) aquatic hazard - Category 2 - H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard pictograms**

**Hazard statements**

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

**Supplemental information**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

EUH208 Contains: 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**2.3 Other hazards**

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

---

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**


---

**3.2 Mixtures**

This product is a mixture.

| CASRN /<br>EC-No. /<br>Index-No.  | REACH<br>Registration<br>Number | Concentration     | Component         | Classification:<br>REGULATION (EC) No<br>1272/2008                              |
|---|---------------------------------|-------------------|-------------------|---|
| <b>CASRN</b><br>946578-00-3<br><b>EC-No.</b><br>Not available<br><b>Index-No.</b><br>616-217-00-4 | –                               | 11.4%             | sulfoxaflor (ISO) | Acute Tox. - 4 - H302<br>Aquatic Acute - 1 - H400<br>Aquatic Chronic - 1 - H410 |
| <b>CASRN</b><br>57-55-6<br><b>EC-No.</b><br>200-338-0<br><b>Index-No.</b><br>–                    | 01-2119456809-23                | >= 3.0 - < 10.0 % | Propylene glycol  | Not classified  |

If present in this product, any not classified components disclosed above for which no country specific OEL value(s) is(are) indicated under Section 8, are being disclosed as voluntarily disclosed components.

|   |   |                       |  |   |
|---|---|-----------------------|--|---|
| <b>CASRN</b><br>946578-00-3<br><b>EC-No.</b><br>Not available<br><b>Index-No.</b><br>616-217-00-4 | – | >= 10.0 - < 20.0 %    | sulfoxaflor (ISO)                        | Acute Tox. - 4 - H302<br>Aquatic Acute - 1 - H400<br>Aquatic Chronic - 1 - H410   |
| <b>CASRN</b><br>68425-94-5<br><b>EC-No.</b><br>–<br><b>Index-No.</b><br>–                         | – | >= 1.0 - < 2.5 %      | Sulfonated aromatic polymer, sodium salt | Eye Irrit. - 2 - H319<br>Aquatic Chronic - 3 - H412   |
| <b>CASRN</b><br>2634-33-5<br><b>EC-No.</b><br>220-120-9<br><b>Index-No.</b><br>613-088-00-6       | – | >= 0.0025 - < 0.025 % | 1,2-benzisothiazol-3(2H)-one             | Acute Tox. - 4 - H302<br>Skin Irrit. - 2 - H315<br>Eye Dam. - 1 - H318<br>Skin Sens. - 1 - H317<br>Aquatic Acute - 1 - H400<br>Aquatic Chronic - 3 - H412 |

Substances with a workplace exposure limit

|  |                  |                   |                  |                |
|--|------------------|-------------------|------------------|----------------|
| <b>CASRN</b><br>57-55-6<br><b>EC-No.</b><br>200-338-0<br><b>Index-No.</b><br>–   | 01-2119456809-23 | >= 1.0 - < 10.0 % | Propylene glycol | Not classified |
| <b>CASRN</b><br>9004-34-6<br><b>EC-No.</b><br>232-674-9<br><b>Index-No.</b><br>– | –                | >= 1.0 - < 10.0 % | Cellulose        | Not classified |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice:

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**Ingestion:** No emergency medical treatment necessary.

#### **4.2 Most important symptoms and effects, both acute and delayed:**

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

## **SECTION 5: FIREFIGHTING MEASURES**

---

### **5.1 Extinguishing media**

**Suitable extinguishing media:** To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.

**Unsuitable extinguishing media:** None known.

### **5.2 Special hazards arising from the substance or mixture**

**Hazardous combustion products:** Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Sulfur oxides. Nitrogen oxides. Hydrogen fluoride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.

### **5.3 Advice for firefighters**

**Fire Fighting Procedures:** Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures:** Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**6.2 Environmental precautions:** If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**6.3 Methods and materials for containment and cleaning up:** Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to overpressurization of the container. Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Neutralize with chalk, alkali solution or ammonia. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). See Section 13, Disposal Considerations, for additional information.

**6.4 Reference to other sections:**  
See sections: 7, 8, 11, 12 and 13.

## SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling:** Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice. Smoking, eating and drinking should be prohibited in the application area. Take care to prevent spills, waste and minimize release to the environment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Do not store with the following product types: Do not store near acids.. Strong oxidizing agents.  
Unsuitable materials for containers: None known.

**7.3 Specific end use(s):** Refer to product label.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

| Component        | Regulation | Type of listing | Value/Notation    |
|------------------|------------|-----------------|-------------------|
| Propylene glycol | US WEEL    | TWA             | 10 mg/m3          |
|                  | GB EH40    | TWA             | 474 mg/m3 150 ppm |
|                  | GB EH40    | TWA             | 10 mg/m3          |

|                              |         |                                |                   |
|------------------------------|---------|--------------------------------|-------------------|
|                              | GB EH40 | TWA particles                  | 10 mg/m3          |
|                              | GB EH40 | TWA Total vapour and particles | 474 mg/m3 150 ppm |
| Cellulose                    | ACGIH   | TWA                            | 10 mg/m3          |
|                              | GB EH40 | TWA inhalable dust             | 10 mg/m3          |
|                              | GB EH40 | TWA Respirable dust            | 4 mg/m3           |
| 1,2-benzisothiazol-3(2H)-one | GB EH40 | STEL inhalable dust            | 20 mg/m3          |
|                              | Dow IHG | TWA                            | 0.06 mg/m3        |
|                              | Dow IHG | STEL                           | 0.1 mg/m3         |

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

**Derived No Effect Level**

Propylene glycol

**Workers**

| Acute systemic effects |            | Acute local effects |            | Long-term systemic effects |            | Long-term local effects |            |
|------------------------|------------|---------------------|------------|----------------------------|------------|-------------------------|------------|
| Dermal                 | Inhalation | Dermal              | Inhalation | Dermal                     | Inhalation | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a.                | n.a.       | n.a.                       | 168 mg/m3  | n.a.                    | 10 mg/m3   |

**Consumers**

| Acute systemic effects |            |      | Acute local effects |            | Long-term systemic effects |            |      | Long-term local effects |            |
|------------------------|------------|------|---------------------|------------|----------------------------|------------|------|-------------------------|------------|
| Dermal                 | Inhalation | Oral | Dermal              | Inhalation | Dermal                     | Inhalation | Oral | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a. | n.a.                | n.a.       | n.a.                       | 50 mg/m3   | n.a. | n.a.                    | 10 mg/m3   |

**Predicted No Effect Concentration**

Propylene glycol

| Compartment              | PNEC                         |
|--------------------------|------------------------------|
| Fresh water              | 260 mg/l                     |
| Marine water             | 26 mg/l                      |
| Intermittent use/release | 183 mg/l                     |
| Sewage treatment plant   | 20000 mg/l                   |
| Fresh water sediment     | 572 mg/kg dry weight (d.w.)  |
| Marine sediment          | 57.2 mg/kg dry weight (d.w.) |
| Soil                     | 50 mg/kg dry weight (d.w.)   |

**8.2 Exposure controls**

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

**Individual protection measures**

**Eye/face protection:** Use safety glasses (with side shields). Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

**Skin protection**

**Hand protection:** Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

**Other protection:** No precautions other than clean body-covering clothing should be needed.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2 (meeting standard EN 14387).

**Environmental exposure controls**

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties****Appearance**

|   |   |
|---|---|
| <b>Physical state</b>                         | Liquid.   |
| <b>Color</b>                                  | Tan   |
| <b>Odor</b>                                   | Mild  |
| <b>Odor Threshold</b>                         | No test data available  |
| <b>pH</b>                                     | 3.81 <i>pH Electrode</i> 1% Aqueous solution                          |
| <b>Melting point/range</b>                    | Not applicable  |
| <b>Freezing point</b>                         | No data available   |
| <b>Boiling point (760 mmHg)</b>               | No test data available  |
| <b>Flash point</b>                            | <b>closed cup</b> > 100 °C <i>Pensky-Martens Closed Cup ASTM D 93</i> |
| <b>Evaporation Rate (Butyl Acetate = 1)</b>   | No test data available  |
| <b>Flammability (solid, gas)</b>              | Not Applicable  |
| <b>Lower explosion limit</b>                  | No test data available  |
| <b>Upper explosion limit</b>                  | No test data available  |
| <b>Vapor Pressure</b>                         | No test data available  |
| <b>Relative Vapor Density (air = 1)</b>       | No test data available  |
| <b>Relative Density (water = 1)</b>           | No data available   |
| <b>Water solubility</b>                       | No test data available  |
| <b>Partition coefficient: n-octanol/water</b> | No data available   |
| <b>Auto-ignition temperature</b>              | 380 °C <i>EC Method A15</i>   |

|                                  |   |
|----------------------------------|---|
| <b>Decomposition temperature</b> | No data available                             |
| <b>Kinematic Viscosity</b>       | No test data available                        |
| <b>Explosive properties</b>      | Not explosive                                 |
| <b>Oxidizing properties</b>      | No significant increase (>5C) in temperature. |

## 9.2 Other information

|                         |  |
|-------------------------|--|
| <b>Liquid Density</b>   | 1.057 g/cm <sup>3</sup> at 20 °C <i>OECD 109</i> |
| <b>Molecular weight</b> | No data available                                |

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## SECTION 10: STABILITY AND REACTIVITY

---

**10.1 Reactivity:** Not classified as a reactivity hazard.

**10.2 Chemical stability:** No decomposition if stored and applied as directed. Stable under normal conditions.

**10.3 Possibility of hazardous reactions:** None known.  
No hazards to be specially mentioned.

**10.4 Conditions to avoid:** Some components of this product can decompose at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.

**10.5 Incompatible materials:** None.

**10.6 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Toxic gases are released during decomposition. Hydrogen fluoride.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

*Toxicological information appears in this section when such data is available.*

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

For similar material(s):

LD50, Rat, male and female, > 5,000 mg/kg

##### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

For similar material(s):

LD50, Rat, male and female, > 5,000 mg/kg

##### Acute inhalation toxicity



No adverse effects are anticipated from single exposure to mist. Based on the available data, respiratory irritation was not observed.

For similar material(s): Maximum attainable concentration.  
LC50, Rat, 4 Hour, dust/mist, > 2.21 mg/l No deaths occurred at this concentration.

**Skin corrosion/irritation**

Prolonged contact is essentially nonirritating to skin.

**Serious eye damage/eye irritation**

May cause slight eye irritation.  
Corneal injury is unlikely.

**Sensitization**

For similar material(s):  
Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization:  
No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For the active ingredient(s):  
In animals, effects have been reported on the following organs:  
Liver.

**Carcinogenicity**

For the active ingredient(s): Has caused cancer in laboratory animals. However, the effects are species specific and are not relevant to humans.

**Teratogenicity**

For the active ingredient(s): Has caused birth defects in lab animals at high doses. In laboratory animals, excessive doses toxic to the parent animals caused decreased weight and survival of offspring. However, the effects are species specific and are not relevant to humans. These concentrations exceed relevant human dose levels.

**Reproductive toxicity**

For the active ingredient(s): In animal studies, has been shown to interfere with reproduction. However, the effects are species specific and are not relevant to humans. These concentrations exceed relevant human dose levels.

**Mutagenicity**

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

**Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

---

## SECTION 12: ECOLOGICAL INFORMATION

---

*Ecotoxicological information appears in this section when such data is available.*

### 12.1 Toxicity

#### **Acute toxicity to fish**

Material is toxic to aquatic organisms (LC50/EC50/IC50 between 1 and 10 mg/L in the most sensitive species).

LC50, *Oncorhynchus mykiss* (rainbow trout), static test, 96 Hour, > 840 mg/l, OECD Test Guideline 203

#### **Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna* (Water flea), static test, 48 Hour, > 840 mg/l, OECD Test Guideline 202

LC50, saltwater mysid *Mysidopsis bahia*, semi-static test, 96 Hour, 3.79 mg/l, OECD Test Guideline 202 or Equivalent

#### **Acute toxicity to algae/aquatic plants**

ErC50, diatom *Navicula* sp., static test, 72 Hour, Growth rate inhibition, > 100 mg/l, OECD Test Guideline 201

#### **Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

oral LD50, *Colinus virginianus* (Bobwhite quail), mortality, > 2000mg/kg bodyweight.

contact LD50, *Apis mellifera* (bees), 48 Hour, 2.356µg/bee

oral LD50, *Apis mellifera* (bees), 48 Hour, 0.539µg/bee

#### **Toxicity to soil-dwelling organisms**

LC50, *Eisenia fetida* (earthworms), 14 d, survival, 5.527 mg/kg

### 12.2 Persistence and degradability

#### **sulfoxaflor (ISO)**

**Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.

**Biodegradation:** 0 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 310

#### **Propylene glycol**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of oxygen).  
10-day Window: Pass

**Biodegradation:** 81 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

10-day Window: Not applicable  
**Biodegradation:** 96 %  
**Exposure time:** 64 d  
**Method:** OECD Test Guideline 306 or Equivalent

**sulfoxaflor (ISO)**

**Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.

**Biodegradation:** 0 %  
**Exposure time:** 28 d  
**Method:** OECD Test Guideline 310

**Sulfonated aromatic polymer, sodium salt**

**Biodegradability:** No appreciable biodegradation is expected.

**1,2-benzisothiazol-3(2H)-one**

**Biodegradability:** Abiotic degradation: The material is rapidly degradable by abiotic means.

**Biodegradation:** 24 %  
**Exposure time:** 28 d  
**Method:** OECD Test Guideline 301B or Equivalent

**Propylene glycol**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

10-day Window: Pass  
**Biodegradation:** 81 %  
**Exposure time:** 28 d  
**Method:** OECD Test Guideline 301F or Equivalent  
10-day Window: Not applicable  
**Biodegradation:** 96 %  
**Exposure time:** 64 d  
**Method:** OECD Test Guideline 306 or Equivalent

**Cellulose**

**Biodegradability:** Biodegradation rate may increase in soil and/or water with acclimation.

**Theoretical Oxygen Demand:** 1.18 mg/mg

**12.3 Bioaccumulative potential**

**sulfoxaflor (ISO)**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** 0.802 at 20 °C Measured

**Propylene glycol**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
**Partition coefficient: n-octanol/water(log Pow):** -1.07 Measured  
**Bioconcentration factor (BCF):** 0.09 Estimated.

**sulfoxaflor (ISO)**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 0.802 at 20 °C Measured

**Sulfonated aromatic polymer, sodium salt**

**Bioaccumulation:** No relevant data found.

**1,2-benzisothiazol-3(2H)-one**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 1.19 OECD Test Guideline 117 or Equivalent

**Bioconcentration factor (BCF):** 3.2 Fish Calculated.

**Propylene glycol**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** -1.07 Measured

**Bioconcentration factor (BCF):** 0.09 Estimated.

**Cellulose**

**Bioaccumulation:** No bioconcentration is expected because of the relatively high molecular weight (MW greater than 1000).

**12.4 Mobility in soil**

**sulfoxaflor (ISO)**

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** 40 Measured

**Propylene glycol**

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** < 1 Estimated.

**sulfoxaflor (ISO)**

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** 40 Measured

**Sulfonated aromatic polymer, sodium salt**

No relevant data found.

**1,2-benzisothiazol-3(2H)-one**

Potential for mobility in soil is high (Koc between 50 and 150).

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

**Partition coefficient (Koc):** 104 Estimated.

**Propylene glycol**

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** < 1 Estimated.

**Cellulose**

No data available.

## 12.5 Results of PBT and vPvB assessment

### sulfoxaflor (ISO)

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### Propylene glycol

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### sulfoxaflor (ISO)

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### Sulfonated aromatic polymer, sodium salt

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### 1,2-benzisothiazol-3(2H)-one

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

### Propylene glycol

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### Cellulose

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

## 12.6 Other adverse effects

### sulfoxaflor (ISO)

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Propylene glycol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### sulfoxaflor (ISO)

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Sulfonated aromatic polymer, sodium salt

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### 1,2-benzisothiazol-3(2H)-one

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Propylene glycol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Cellulose

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

### 13.1 Waste treatment methods

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

---

---

## SECTION 14: TRANSPORT INFORMATION

---

### Classification for ROAD and Rail transport (ADR/RID):

- |                                   |  |
|-----------------------------------|--|
| 14.1 UN number                    | UN 3082  |
| 14.2 UN proper shipping name      | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Sulfoxaflor) |
| 14.3 Transport hazard class(es)   | 9  |
| 14.4 Packing group                | III  |
| 14.5 Environmental hazards        | Sulfoxaflor  |
| 14.6 Special precautions for user | Hazard Identification Number: 90                                 |

### Classification for SEA transport (IMO-IMDG):

- |   |  |
|---|--|
| 14.1 UN number  | UN 3082  |
| 14.2 UN proper shipping name  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Sulfoxaflor) |
| 14.3 Transport hazard class(es)   | 9  |
| 14.4 Packing group  | III  |
| 14.5 Environmental hazards  | Sulfoxaflor  |
| 14.6 Special precautions for user   | EmS: F-A, S-F  |
| 14.7 Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code | Consult IMO regulations before transporting ocean bulk           |

### Classification for AIR transport (IATA/ICAO):

- |                                 |  |
|---------------------------------|--|
| 14.1 UN number                  | UN 3082  |
| 14.2 UN proper shipping name    | Environmentally hazardous substance, liquid, n.o.s.(Sulfoxaflor) |
| 14.3 Transport hazard class(es) | 9  |

- 14.4 Packing group** III
- 14.5 Environmental hazards** Not applicable
- 14.6 Special precautions for user** No data available.

**Further information:**

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

---

**SECTION 15: REGULATORY INFORMATION**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****REACH Regulation (EC) No 1907/2006**

This product contains only components that have been either pre-registered, registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH). The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

**Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.**

Listed in Regulation: ENVIRONMENTAL HAZARDS

Number in Regulation: E2

200 t

500 t

**15.2 Chemical safety assessment**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Chemical Safety Assessments are not required for Plant Protection Products authorised under Regulation EC 1107/2009.

---

## SECTION 16: OTHER INFORMATION

---

### Full text of H-Statements referred to under sections 2 and 3.

|      |   |
|------|---|
| H302 | Harmful if swallowed.                                 |
| H315 | Causes skin irritation.                               |
| H317 | May cause an allergic skin reaction.                  |
| H318 | Causes serious eye damage.                            |
| H319 | Causes serious eye irritation.                        |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |
| H412 | Harmful to aquatic life with long lasting effects.    |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008

Aquatic Chronic - 2 - H411 - Based on product data or assessment

### Revision

Identification Number: 97033260 / Issue Date: 21.01.2022 / Version: 2.8

DAS Code: GF-2626

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

|                 |  |
|-----------------|--|
| ACGIH           | USA. ACGIH Threshold Limit Values (TLV)                |
| Dow IHG         | Dow Industrial Hygiene Guideline                       |
| GB EH40         | UK. EH40 WEL - Workplace Exposure Limits               |
| STEL            | Short-term exposure limit (15-minute reference period) |
| TWA             | 8-hr TWA   |
| US WEEL         | USA. Workplace Environmental Exposure Levels (WEEL)    |
| Acute Tox.      | Acute toxicity   |
| Aquatic Acute   | Short-term (acute) aquatic hazard                      |
| Aquatic Chronic | Long-term (chronic) aquatic hazard                     |
| Eye Dam.        | Serious eye damage                                     |
| Eye Irrit.      | Eye irritation   |
| Skin Irrit.     | Skin irritation  |
| Skin Sens.      | Skin sensitization                                     |

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -



International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Corteva Agriscience UK Ltd urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

GB