

## SAFETY DATA SHEET

Corteva Agriscience UK Ltd

Safety Data Sheet according to Reg. (EU) No 2015/830

Product name: ZYPAR™ Herbicide Revision Date: 10.12.2020

Version: 2.4

Date of last issue: 21.01.2022

Print Date: 21.01.2022

Corteva Agriscience UK Ltd encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: ZYPAR™ Herbicide

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Plant Protection Product Herbicide

1.3 Details of the supplier of the safety data sheet COMPANY IDENTIFICATION

Corteva Agriscience UK Ltd CPC2 CAPITAL PARK FULBOURN CAMBRIDGE - England - CB21 5XE UNITED KINGDOM

Customer Information Number : +44 8006 89 8899 E-mail address : SDS@corteva.com

1.4 EMERGENCY TELEPHONE

**24-Hour Emergency Contact** : +44 161 88 41235 **Local Emergency Contact** : +44 161 88 41235

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008:

Skin irritation - Category 2 - H315 Eye irritation - Category 2 - H319 Skin sensitization - Sub-category 1B - H317

Short-term (acute) aquatic hazard - Category 1 - H400

Long-term (chronic) aquatic hazard - Category 1 - H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Version: 2.4

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008:

#### **Hazard pictograms**





## Signal Word: WARNING

#### **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

+ P338 if present and easy to do. Continue rinsing.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

## Supplemental information

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Contains Cloquintocet-mexyl

#### 2.3 Other hazards

No data available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

This product is a mixture.

CASRN / REA			Classification: REGULATION (EC) No
-------------	--	--	---------------------------------------

Revision Date: 21.01.2022 Version: 2.4

CACDN		0.000/	Halamitan mit	Amortia Amorta de 11400
CASRN 943831-98-9 EC-No. Not available Index-No.	_	0.68%	Halauxifen-methyl	Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
CASRN 99607-70-2 EC-No. Not available Index-No.	01-2119381871-32 01-2119401416-51 01-2119403579-35	0.65%	Cloquintocet-mexyl	Skin Sens 1 - H317 Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
CASRN 145701-23-1 EC-No. Not available Index-No. 613-230-00-7	_	0.54%	Florasulam (ISO)	Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
CASRN 68953-96-8 EC-No. 273-234-6 Index-No.	01-2119964467-24	>= 3.0 - < 10.0 %	Benzenesulfonic acid, mono-C11-13- branched alkyl derivs., calcium salts	Acute Tox 4 - H312 Skin Irrit 2 - H315 Eye Dam 1 - H318 Aquatic Chronic - 2 - H411
CASRN 108-32-7 EC-No. 203-572-1 Index-No. 607-194-00-1	01-2119537232-48	>= 1.0 - < 3.0 %	propylene carbonate	Eye Irrit 2 - H319
CASRN 25322-69-4 EC-No. Polymer Index-No.	-	>= 1.0 - < 3.0 %	Polypropylene glycol	Acute Tox 4 - H302
CASRN 1189173-42-9 EC-No. 918-811-1 Index-No.	01-2119463583-34	>= 1.0 - < 3.0 %	Hydrocarbons, C10, aromatics, <1% naphthalene	STOT SE - 3 - H336 Asp. Tox 1 - H304 Aquatic Chronic - 2 - H411

If present in this product, any not classified components disclosed above for which no country specific OEL value(s) is(are) indicated under Section 8, are being disclosed as voluntarily disclosed components. For the full text of the H-Statements mentioned in this Section, see Section 16.

Version: 2.4

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures General advice:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

## 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

**Suitable extinguishing media:** This material does not burn. If exposed to fire from another source, use suitable extinguishing agent for that fire.

Unsuitable extinguishing media: No data available

## 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon oxides

**Unusual Fire and Explosion Hazards:** Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream.

## 5.3 Advice for firefighters

Version: 2.4

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Do not use direct water stream. May spread fire. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

- **6.1 Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- **6.2 Environmental precautions:** Spills or discharge to natural waterways is likely to kill aquatic organisms. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.
- **6.3 Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact the company for clean-up assistance. See Section 13, Disposal Considerations, for additional information.
- **6.4 Reference to other sections:** References to other sections, if applicable, have been provided in the previous sub-sections.

## **SECTION 7: HANDLING AND STORAGE**

- **7.1 Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid breathing vapor or mist. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.
- **7.2 Conditions for safe storage, including any incompatibilities:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.
- **7.3 Specific end use(s):** Refer to product label.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Version: 2.4

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### 8.2 Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

## **Individual protection measures**

**Eye/face protection:** Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

## Skin protection

Hand protection: Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2 (meeting standard EN 14387).

#### **Environmental exposure controls**

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

Version: 2.4

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Color Off-white
Odor Solvent

Odor Threshold No test data available

pH 4.37 pH Electrode (1% aqueous suspension)

No test data available

Melting point/rangeNot applicableFreezing pointNo data availableBoiling point (760 mmHg)No test data available

Flash point closed cup >100 °C PMCC

**Evaporation Rate (Butyl Acetate** 

= 1)

Flammability (solid, gas)

Lower explosion limit

Upper explosion limit

Vapor Pressure

Relative Vapor Density (air = 1)

No data available

No test data available

No test data available

Relative Density (water = 1) 0.929 at 20 °C

Water solubility

No test data available

Partition coefficient: n
No data available

octanol/water

Auto-ignition temperatureNo test data availableDecomposition temperatureNo test data availableDynamic ViscosityNo test data availableKinematic ViscosityNo data available

Explosive properties No

Oxidizing properties No significant increase (>5C) in temperature.

9.2 Other information

**Liquid Density** 0.929 g/cm3 at 20 °C **Molecular weight** No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity: No dangerous reaction known under conditions of normal use.

10.2 Chemical stability: Stable under recommended storage conditions. See Storage, Section 7.

Version: 2.4

10.3 Possibility of hazardous reactions: Polymerization will not occur.

10.4 Conditions to avoid: Some components of this product can decompose at elevated temperatures.

10.5 Incompatible materials: None known.

**10.6 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicological information appears in this section when such data is available.

## 11.1 Information on toxicological effects

## **Acute toxicity**

#### Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product:

LD50, Rat, female, > 5,000 mg/kg

#### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product:

LD50, Rat, male and female, > 5,000 mg/kg

## Acute inhalation toxicity

Prolonged exposure is not expected to cause adverse effects. Excessive exposure may cause irritation to upper respiratory tract (nose and throat).

As product: The LC50 has not been determined.

#### Skin corrosion/irritation

Brief contact may cause moderate skin irritation with local redness.

#### Serious eye damage/eye irritation

May cause moderate eye irritation.

May cause slight corneal injury.

#### Sensitization

Has demonstrated the potential for contact allergy in mice.

For respiratory sensitization:

No relevant data found.

## **Specific Target Organ Systemic Toxicity (Single Exposure)**

Available data are inadequate to determine single exposure specific target organ toxicity.

## Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s):

Version: 2.4

In animals, effects have been reported on the following organs:

Kidney.

Liver.

Thyroid.

For the major component(s):

No relevant data found.

## Carcinogenicity

For the active ingredient(s): Florasulam. Cloquintocet-mexyl. For similar active ingredient(s). Halauxifen. Did not cause cancer in laboratory animals. For the major component(s): No relevant data found.

## **Teratogenicity**

For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals. For the major component(s): No relevant data found.

#### Reproductive toxicity

For the active ingredient(s): Cloquintocet-mexyl. Florasulam. For similar active ingredient(s). Halauxifen. In animal studies, did not interfere with reproduction. For the major component(s): No relevant data found.

## Mutagenicity

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

For the major component(s): In vitro genetic toxicity studies were negative.

## **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

#### COMPONENTS INFLUENCING TOXICOLOGY:

#### Halauxifen-methyl

#### Acute inhalation toxicity

No adverse effects are anticipated from inhalation. For respiratory irritation and narcotic effects: No relevant data found.

The LC50 has not been determined.

#### Cloquintocet-mexyl

## Acute inhalation toxicity

LC50, Rat, male and female, 4 Hour, dust/mist, > 5.42 mg/l

#### Florasulam (ISO)

## Acute inhalation toxicity

LC50, Rat, 4 Hour, dust/mist, > 5.0 mg/l

## Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

## Acute inhalation toxicity

The LC50 has not been determined.

#### propylene carbonate

## Acute inhalation toxicity

No adverse effects are anticipated from single exposure to vapor.

Version: 2.4

The LC50 has not been determined.

#### Polypropylene glycol

## Acute inhalation toxicity

The LC50 has not been determined.

## Hydrocarbons, C10, aromatics, <1% naphthalene

## **Acute inhalation toxicity**

Prolonged excessive exposure may cause adverse effects. May cause central nervous system effects. Symptoms may include headache, dizziness and drowsiness, progressing to incoordination and unconsciousness. Excessive exposure may cause irritation to upper respiratory tract (nose and throat) and lungs.

As product: The LC50 has not been determined.

For similar material(s): LC50, Rat, 4 Hour, vapour, > 4.688 mg/l

Maximum attainable concentration.

## **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicological information appears in this section when such data is available.

#### 12.1 Toxicity

#### Acute toxicity to fish

LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 Hour, 81 mg/l, OECD Test Guideline 203

#### Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), static test, 48 Hour, 5.5 mg/l, OECD Test Guideline 202

## Acute toxicity to algae/aquatic plants

Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).

EC50, Lemna gibba, 7 d, Number of fronds, 0.086 mg/l

EC50, Myriophyllum spicatum, 14 d, 0.065 mg/l

NOEC, Myriophyllum spicatum, 14 d, 0.00298 mg/l

## **Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

oral LD50, Colinus virginianus (Bobwhite quail), mortality, > 2000mg/kg bodyweight.

oral LD50, Apis mellifera (bees), 48 Hour, mortality, > 213.4µg/bee

contact LD50, Apis mellifera (bees), 48 Hour, mortality, > 200µg/bee

Version: 2.4

## Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, mortality, > 1,000 mg/kg

#### 12.2 Persistence and degradability

## Halauxifen-methyl

Biodegradability: For similar active ingredient(s). Halauxifen. Material is expected to biodegrade

very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Not applicable **Biodegradation:** 7.7 % **Exposure time:** 28 d

Method: OECD Test Guideline 310 or Equivalent

## Cloquintocet-mexyl

Biodegradability: No relevant data found.

## Florasulam (ISO)

Biodegradability: Material is expected to biodegrade very slowly (in the environment). Fails to pass

OECD/EEC tests for ready biodegradability.

10-day Window: Fail **Biodegradation:** 2 % **Exposure time:** 28 d

Method: OECD Test Guideline 301B or Equivalent

Theoretical Oxygen Demand: 0.85 mg/mg

#### Biological oxygen demand (BOD)

Incubation Time	BOD
5 d	0.012
	mg/mg

## Stability in Water (1/2-life)

, > 30 d

Photodegradation

Atmospheric half-life: 1.82 Hour

Method: Estimated.

## Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

Biodegradability: Material is expected to biodegrade very slowly (in the environment). Fails to pass

OECD/EEC tests for ready biodegradability.

10-day Window: Fail **Biodegradation:** 2.9 % **Exposure time:** 28 d

Method: OECD Test Guideline 301E or Equivalent

## propylene carbonate

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s)

for inherent biodegradability).

10-day Window: Pass Biodegradation: 94 % Exposure time: 28 d

Method: OECD Test Guideline 301E or Equivalent

10-day Window: Not applicable **Biodegradation:** > 97 % **Exposure time:** 28 d

Method: OECD Test Guideline 302B or Equivalent

## Polypropylene glycol

**Biodegradability:** For this family of materials: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

## Hydrocarbons, C10, aromatics, <1% naphthalene

**Biodegradability:** Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability).

## 12.3 Bioaccumulative potential

## Halauxifen-methyl

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient: n-octanol/water(log Pow): 3.76

Bioconcentration factor (BCF): 233 Lepomis macrochirus (Bluegill sunfish) 42 d

#### Cloquintocet-mexyl

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient: n-octanol/water(log Pow): 5.3 Estimated.

Bioconcentration factor (BCF): 122 - 621 Fish

#### Florasulam (ISO)

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -1.22 Bioconcentration factor (BCF): 0.8 Fish 28 d Measured

## Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient: n-octanol/water(log Pow): 4.6 OECD Test Guideline 107 or Equivalent

## propylene carbonate

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3). Potential for mobility in soil is very high (Koc between 0 and 50). Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process. Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -0.41 Measured

## Polypropylene glycol

Version: 2.4

Product name: ZYPAR™ Herbicide Revision Date: 21.01.2022

Version: 2.4

**Bioaccumulation:** For this family of materials: No bioconcentration is expected because of the relatively high water solubility.

## Hydrocarbons, C10, aromatics, <1% naphthalene

**Bioaccumulation:** No data available for this product. For similar material(s): Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

## 12.4 Mobility in soil

#### Halauxifen-methyl

Expected to be relatively immobile in soil (Koc > 5000).

Partition coefficient (Koc): 5684

## Cloquintocet-mexyl

Expected to be relatively immobile in soil (Koc > 5000).

Partition coefficient (Koc): 38070 Estimated.

## Florasulam (ISO)

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 4 - 54

## Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

No relevant data found.

## propylene carbonate

Potential for mobility in soil is very high (Koc between 0 and 50).

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Partition coefficient (Koc): 15 Estimated.

## Polypropylene glycol

No data available.

## Hydrocarbons, C10, aromatics, <1% naphthalene

No relevant data found.

## 12.5 Results of PBT and vPvB assessment

#### Halauxifen-methyl

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### Cloquintocet-mexyl

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### Florasulam (ISO)

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Product name: ZYPAR™ Herbicide Revision Date: 21.01.2022 Version: 2.4

## propylene carbonate

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

## Polypropylene glycol

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## Hydrocarbons, C10, aromatics, <1% naphthalene

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### 12.6 Other adverse effects

## Halauxifen-methyl

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

## Cloquintocet-mexyl

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Florasulam (ISO)

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

## propylene carbonate

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

## Polypropylene glycol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Hydrocarbons, C10, aromatics, <1% naphthalene

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

Version: 2.4

## **SECTION 14: TRANSPORT INFORMATION**

Classification for ROAD and Rail transport (ADR/RID):

**14.1 UN number** UN 3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(Halauxifen-methyl, CLOQUINTOCET-MEXYL)

14.3 Transport hazard class(es) 914.4 Packing group |||

**14.5 Environmental hazards** Halauxifen-methyl, CLOQUINTOCET-MEXYL

14.6 Special precautions for user

Hazard Identification Number: 90

**Classification for SEA transport (IMO-IMDG):** 

**14.1 UN number** UN 3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(Halauxifen-methyl, CLOQUINTOCET-MEXYL)

14.3 Transport hazard class(es) 914.4 Packing group |||

**14.5 Environmental hazards** Halauxifen-methyl, CLOQUINTOCET-MEXYL

14.6 Special precautions for user EmS: F-A, S-F

14.7 Transport in bulk according to Annex I or II of MARPOL

73/78 and the IBC or IGC

Consult IMO regulations before transporting ocean bulk

Code

Classification for AIR transport (IATA/ICAO):

**14.1 UN number** UN 3082

**14.2 UN proper shipping name** Environmentally hazardous substance, liquid,

n.o.s.(Halauxifen-methyl, CLOQUINTOCET-MEXYL)

14.3 Transport hazard class(es) 914.4 Packing group |||

14.5 Environmental hazards Not applicable

**14.6** Special precautions for user No data available.

#### Further information:

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced

Version: 2.4

by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## REACh Regulation (EC) No 1907/2006

This product contains only components that have been either pre-registered, registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH).,The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure thathis/her understanding of the regulatory status of this product is correct.

## Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Listed in Regulation: ENVIRONMENTAL HAZARDS

Number in Regulation: E1

100 t 200 t

#### 15.2 Chemical safety assessment

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008

Skin Irrit. - 2 - H315 - Based on product data or assessment Eye Irrit. - 2 - H319 - Based on product data or assessment

Version: 2.4

Skin Sens. - 1B - H317 - Based on product data or assessment Aquatic Acute - 1 - H400 - Based on product data or assessment Aquatic Chronic - 1 - H410 - Based on product data or assessment

#### Revision

Identification Number: 97051236 / Issue Date: 21.01.2022 / Version: 2.4

DAS Code: GF-2644

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

Logona	
Acute Tox.	Acute toxicity
Aquatic Acute	Short-term (acute) aquatic hazard
Aquatic Chronic	Long-term (chronic) aquatic hazard
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI -Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Information Source and References**

Version: 2.4

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Corteva Agriscience UK Ltd urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.