

## BROADWAY STAR® TANK-MIX COMPATIBILITY in WINTER WHEAT, RYE & TRITICALE

# PLEASE ENSURE YOU READ THE NOTES SECTION

This version supersedes all previous editions

Normal = Physically Compatible	Italics = Physically Compatible with Continuous Agitation	Red on Blue = Physically Incompatible
BOLD CAPITALS = Physically & Biologically Compatible	Bold Italics = Biologically Compatible with Continuous Agitation	RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

### HERBICIDES

FOR DEFY READ ACROSS TO CLAYTON COMPLY, CLAYTON OBEY, QUIDAM, ROXY, SPINNAKER, TOPSAIL & WICKET
FOR STOMP 400 EC READ ACROSS TO ANTHEM, CLAYMORE, EXIMUS, MOST MICRO & TORRES
FOR ALLY MAX SX READ ACROSS TO ALIAS SX, ANSWER SX, AVRO SX, BIPLAY SX, CHIMERA SX, CLEANCROP MONDIAL, FINY, FINISH SX, GROPPER SX, INKA SX, JUBILEE SX, LORATE, PRESITE SX, RATIO SX, REFINE MAX SX, SIMBA SX, TRATON SX.
FOR HARMONY M SX READ ACROSS TO CONCERT SX AND PENNANT

TOTAL TRANSPORT OF SAFATA							
ALIAS SX	ww	DUPLOSAN KV + STOMP 400 SC <sup>Ø</sup>	ww	MOZAIC SX	ww	SIMBA SX	
ALLY MAX SX	ww	FINISH SX	ww	NEVADA* (0.75 l/ha)	ww	SLALOM*	ww
ALLY MAX SX + STOMP 400 SC		FIREBIRD®	ww	NEVADA* + TOPIK# +/- ACTIROB B	ww	SPITFIRE* (0.75 I/ha)	ww
ANSWER SX	ww	Fox		ORIENT®		SPITFIRE* + TOPIK# +/- ACTIROB B	ww
AVRO SX	ww	GALAXY*	ww	Parana		STARANE Hi-Load HL	ww
Axial Pro		GF-184*	ww	PENNANT	ww	STARANE Hi-Load HL + STOMP 400 SC®	ww
BARTON WG*	ww	Giddo		PicoMax <sup>Ø</sup>	ww	STARANE XL*	ww
BIPLAY SX	ww	GROPPER SX	ww	PICONA <sup>Ø</sup>	ww	STARANE XL* + STOMP 400 SC <sup>Ø</sup>	ww
BOXER*	ww	HARMONY M SX	ww	PICONA + PIXXARO + BIO SYL/SURFER®	ww	Stomp Aqua (add first) <sup>Ø</sup>	ww
CALIBRE SX	ww	HERBOXONE	ww	PICONA + ZYPAR + BIO SYL <sup>Ø</sup>	ww	STOMP AQUA + ZYPAR + BIO SYL <sup>Ø</sup>	ww
CHIMERA SX	ww	HUNTER*	ww	PicoPro <sup>Ø</sup>	ww	STOMP 400 SC <sup>Ø</sup>	ww
Cinder + Activator 90		HURRICANE + PIXXARO + BIO SYL/SURFER®	ww	PicoStomp <sup>Ø</sup>	ww	STOMP 400 SC + TOPIK <sup>Ø</sup>	ww
Cinder + Kantor/Spryte Aqua <sup>Ø</sup>		HURRICANE + ZYPAR + BIO SYL®	ww	PIXXARO	ww	STOMP 400 SC + TOWER <sup>®</sup>	ww
Cinder + Kinetic Ø		HURRICANE®	ww	PIXXARO + STOMP 400 SC + BIO SYL®	ww	STOMP 400 SC + ZYPAR + BIO SYL <sup>Ø</sup>	ww
CLAYMORE + TOWER	ww	INKA SX	ww	PIXXARO + STOMP AQUA + BIO SYL®	ww	Sunfire + Bio Syl <sup>Ø</sup>	
CLEANCROP MONDIAL	ww	JUBILEE SX	ww	POLO (14 day interval)		System 50 + Bio Syl <sup>Ø</sup>	
CONCERT SX	ww	Lantern + Bio Syl <sup>Ø</sup>		PRESITE SX	ww	TAXI	
Crystal + Activator 90 <sup>Ø</sup>		Liberator®		PROSPECT + STOMP 400 SC		TOPIK"	ww
DAKOTA*	ww	LIBERATOR + PIXXARO + BIO SYL/SURFER®	ww	Quirinus + Bio Syl <sup>Ø</sup>		Tower	
Defy <sup>Ø</sup>		LIBERATOR + ZYPAR + BIO SYL®	ww	RATIO SX	ww	TRATON SX	ww
Defy + Giddo		LORATE	ww	REFINE MAX SX		Trooper <sup>Ø</sup>	
Defy + Hurricane		MCPA (14 day interval)		SAXON (14 day interval)		XERTON + BIO SYL	ww
Defy + Liberator		MOST MICRO + QUIDAM <sup>Ø</sup>	ww	Seduce		ZYPAR*	ww
Dicamba products (14 day interval)	ww						
DUPLOSAN KV	ww						

FUNGICIDES							
Agate + Abacus		CARAMBA 90	ww	Flyer 200 + Mojave + Vegas		PRIAXOR	ww
AMISTAR	ww	Caramba 90 + Peacoq + Priaxor		FOLICUR		PROLINE 275	ww
Aquino + Arizona + Caramba 90 + Syrex		COLORADO	ww	Guardian**		PROSARO**	ww
Aquino + Arizona + Syrex		COLORADO + ELATUS ERA	ww	Imtrex		PROSARO** + TALIUS	ww
Aquino + Syrex		COLORADO + LIBRAX	ww	Inconiq + Aprovia Plus		Provyto XE	
ARIZONA	ww	COLORADO + PROSARO		lodus (biofungicide elicitor)		Questar + Velogy Plus	
ARIZONA + AVIATOR 235 XPRO	ww	COMET 200	ww	JAUNT	ww	Revystar XE	
Arizona + Caramba 90 + Peacoq + Priaxor		CYFLAMID	ww	LIBRAX	ww	SAKURA	
ARIZONA + ELATUS ERA	ww	Decoy 250EC		LIBRAX + MIRROR	ww	Sentinel**	
Arizona + Elatus Plus + Peacoq		Decoy 250EC + Kavatur + Mojave		LIBRAX + MOJAVE	ww	SERPENT	ww
Arizona + Inconiq + Aprovia Plus		Decoy 250EC + Mojave + Serpent		LIBRAX + TALIUS	ww	SKYWAY 285 XPRO	
ARIZONA + LIBRAX	ww	Decoy 250EC + Mojave + Silvron Xpro		MIRAGE	ww	SPARTICUS XPRO	
Arizona + Pegtiga + Helix		Diadem XE		MIRROR	ww	SWIFT SC	ww
Arizona + Pegtiga + Tesanto		DITHANE 945		MIRROR + PROSARO		SYREX	ww
ARIZONA + PROSARO		Dithane 945 + Inconiq + Velogy Plus		Mivyto XE		TALIUS	ww
Arizona + Questar + Velogy Plus		Dithane 945 + Peacoq + Elatus Plus		MOJAVE	ww	TOLEDO	
Ascra Xpro		Dithane 945 + Pegtiga + Tesanto		Mojave + Myresa + Syrex		TOLEDO + BIO SYL 1%	
AVIATOR 235 XPRO	ww	Dithane 945 + Questar + Velogy Plus		MOJAVE + PROSARO		Tucana	
AVIATOR 235 XPRO + COLORADO	ww	ELATUS ERA	ww	Mojave + Vegas		ULYSSES	
AVIATOR 235 XPRO + CYFLAMID	ww	ELATUS ERA + MIRROR	ww	Monkey + Abacus		ULYSSES + BIO SYL 1%	
AVIATOR 235 XPRO + MIRROR	ww	ELATUS ERA + MOJAVE	ww	Orius P + Abacus		UNIX	ww
AVIATOR 235 XPRO + MOJAVE	ww	Elatus Plus + Peacoq		Peacoq + Priaxor		Univoq	
AVIATOR 235 XPRO + TALIUS	ww	ELATUS ERA + TALIUS	ww	Pegtiga + Helix		Variano Xpro	
Azoxystar		FANDANGO		Pegtiga + Tesanto		VEGAS	ww
Boogie Xpro		Firefly	ww	Phoenix		Verydor XE	
		Flyer 200		Platoon 250		Vivid	

INSECTICIDES Don't mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval								
Clayton Sparta		Kusti		Mavrik + Bio Syl				
Decis Protech	ww	Markate 50		Sven				
HALLMARK ZEON	ww	Mavrik + Activator 90						

ADJUVANTS			
ABACUS - 1% of spray vol	BOOST (Zantra), TONTO (Frontier)	KINETIC - 50 ml/ha	Surfer - 0.5% of spray vol
ACTIVATOR 90 - 0.1% of spray vol	BUZZ - 0.1% of spray vol	Nelson	TORPEDO II - 0.1% of spray vol
ACTIVATOR 90 - 0.1% of spray vol + X-Change	DIAMOND - 0.5% of spray vol	RESPOND - 0.5% of spray vol	Validate - 0.5% of spray vol
ARMA - 0.1% of spray vol	DRILL - 0.5% of spray vol	ROLLER - 50 ml/ha	Velocity - 0.5% of spray vol
BIOPOWER - 1.0 I/ha	FELIX - 0.5% of spray vol	SPARTAN - 0.1% of spray vol	VIKING - 0.5% of spray vol
BIO SYL - 1.0% of spray vol + X-Change	FORTUNE - 0.5% of spray vol	SPRYTE AQUA - 0.5% of spray vol + X-Change	X-change
BIO SYL - 1.0% of spray vol aka Cogent (Procam)	KANTOR - 0.15% of spray vol	Spryte Aqua CF	

PLANT GROWTH REGULATORS Leave 7 da	PLANT GROWTH REGULATORS Leave 7 day interval for full rate PGRs. When tank mixing use Broadway Star + adjuvant plus half rate CCC only.†									
ADJUST (< half dose)†	ww	CANOPY		METEOR		TERPAL				
3C CHLORMEQUAT 750 ( <half dose)†<="" td=""><td>ww</td><td>CERONE</td><td></td><td>MODDUS</td><td></td><td></td><td></td></half>	ww	CERONE		MODDUS						
TRACE ELEMENTS For liquid fertilisers - leave a three day interval										
Bortrac (3.0 I/ha)	ww	Maaflo 300 (4.0 l/ha)	ww	Max-phi Manganese		Safe-N 300 (10 I/ha)	ww			

Bortrac (3.0 I/ha)	ww	Magflo 300 (4.0 l/ha)	ww	Max-phi Manganese		Safe-N 300 (10 l/ha)	ww
Calfite Extra	ww	Magistrate (5.0 l/ha)	ww	Mensa (5.0 l/ha) + Abacus	ww	SMART ATS	ww
Coptrel 500 (0.5 I/ha)	ww	Magphos K (10 l/ha)		Multiple Pro (1.0 l/ha)	ww	SMART MagiiK Manganese	ww
Croplift Pro (5.0 kg/ha)	ww	Maize Boost (5.0 l/ha)	ww	NTS Triple Ten (4.0 l/ha)	ww	SMART Manganese	ww
Epso Top + Abacus	ww	Mancozin (2.0 l/ha)	ww	Nutrino-Pro (20 I/ha)	ww	Stem	ww
Foliar Potash (10 I/ha)	ww	Mancuflo (2.0 l/ha)	ww	Nutri-Phite PGA	ww	Stopit (10 I/ha)	
FMC BORON 15	ww	MANIFOL		Proleaf Gate (3.5 I/ha)	ww	Sulphur F3000 (10 l/ha)	ww
FMC Brock	ww	MANTRAC DF (3.0 kg )	ww	Proleaf Jettzin (3.0 l/ha)	ww	Terrasorb Foliar Extra (2.0 l/ha)	ww
FMC COPPER	ww	Mantrac Pro (1.0 l/ha)	ww	Proleaf Manganese Extra (2.5 I/ha)	ww	Zintrac 700 (1.0 l/ha)	ww
FMC Mn 500	ww	Master Magnesium + TE + pH modifier Optiphol	ww	Proleaf Quattro (1.5 I/ha)	ww		
FMC SUPER 80	ww	Master Manganese Plus	ww	Proleaf Rock (1.0 l/ha)	ww		
Liquid Mn 15% (3.0 I/ha)	ww	MaxMan 400 (add trace element first)	ww	Rapitrel (3.0 l/ha)	ww		

Corteva Agriscience **COMBINATION MIXES** 

HERBICIDES PLUS FUNGICIDES								
Ally Max SX + Aviator 235 Xpro + Talius	Duplosan KV + Ascra Xpro		STOMP 400 SC + UNIX <sup>Ø</sup>	ww	Zypar + Prosaro**			
Ally Max SX + Prosaro**	STOMP 400 SC + AMISTAR®	ww	Zypar + Aviator 235 Xpro		Zypar + Prosaro** + Talius			
Ally Max SX + Prosaro** + Talius	STOMP 400 SC + FANDANGO		Zypar + Aviator 235 Xpro + Talius		Zypar + Talius			
Ally Max SX + Talius	STOMP 400 SC + FLEXITY							

HERBICIDES PLUS INSECTICIDES				
STOMP 400 SC + HALLMARK ZEON CS®	ww			

HERBICIDES PLUS TRACE ELEMENTS									
Ally Max SX + FMC Copper	Spitfire* + Nutri-Phite PGA		STOMP 400 SC + FMC SUPER 80 <sup>Ø</sup>	ww	ZYPAR* + FMC JETT + BIO SYL				
Galaxy* + Nutri-Phite PGA	ww STOMP 400 SC + FMC BORON 15 <sup>®</sup>	ww	STOMP 400 SC + FMC ZINC		ZYPAR* + FMC MANGANESE 400 + BIO SYL				
PIXXARO + FMC JETT + BIO SYL	ww STOMP 400 SC + FMC COPPER <sup>Ø</sup>	ww	STOMP 400 SC + MANIFOL®	ww					
PIXXARO + FMC MANGANESE + BIO SYL	ww STOMP 400 SC + FMC Mn 500 <sup>®</sup>	ww	STOMP 400 SC + MANTRAC DF®	ww					

INSECTICIDES PLUS TRACE ELEMENTS				
Hallmark Zeon + Max-phi Manganese				

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience<sup>™</sup> gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. Important Note: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical Compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, between the tank-mix partners. Where only Physical Compatibility of Sprayable with Continuous Agitation is shown, Corteva Agriscience<sup>™</sup> has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

### NOTES:

NOTES:
Broadway Star should always be used with an approved adjuvant.
Do not mix Broadway Star With OPs, MCPA and Dicamba.
For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.
Do not harrow or roll within 7 days before or after an application of Broadway Star.

KEY:
#Topik is supported in mix with Broadway Star up to the end of February.

\*Residual herbicides can be used in mixture or short sequence with Broadway Star, while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines to reduce residual activity then a 4 week interval between the residual herbicide and an application of Broadway Star is recommended to maximise grass weed control and the tank-mix is no longer supported.

\*Do not exceed maximum total dose of florasulam within growing season.

\*\*Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage.

\*Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An interval of at least 7 days must be regarded before applying a higher rate of chlormequat or any other PGR.

UPDATES February 2025:
Removed - Cyclops, Hiker, (ze, Impact, Kansas, Manitoba, Mirador Xtra, Vareon, Contest. Intracrop Felix, Intracrop Warrior, Karate + Brock, Permasect, Gartrel
Added - Surfer, Galquiyant) - Hurricane + Pixxaro + Surfer, Liberator + Pixxaro + Surfer, Stomp 400 EC + Pixxaro, Inatreq + Arizona - Elatus Plus, Inatreq + Arizona + Helix, Inatreq + Dithane 945 + Elatus Plus

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL Corteva Agriscience\*, Junit H, Building H4, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB. ™ ® Trademarks of Corteva Agriscience and its affiliated companies.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist. Broadway Star contains florasulam and pyroxsulam
Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk





16 February 2025

### **BROADWAY STAR® TANK-MIX COMPATIBILITY in SPRING WHEAT**

PLEASE NOTE THE MAXIMUM DOSE RATE OF BROADWAY STAR IN SPRING WHEAT IS 200 gm/ha. APPLICATION IS FROM 1ST MARCH ONLY

SPRING WHEAT IS DEFINED AS ANY WHEAT PLANTED AFTER 1ST FEBRUARY REGARDLESS OF VARIETAL BREEDING

### PLEASE ENSURE YOU READ THE NOTES SECTION This version supersedes all previous editions

Red on Blue = Physically Incompatible Normal = Physically Compatible Italics = Physically Compatible with Continuous Agitation BOLD CAPITALS = Physically & Biologically Compatible Bold Italics = Biologically Compatible with Continuous Agitation RED ON BLUE = CROP INJURY - INCOMPATIBLE

HERBICIDES								
NO JOINT APPLICATIONS WITH ALS CONTAINING PRODUCTS APPROVED ON SPRING WHEAT								
AXIAL PRO	HURRICANE + PIXXARO + BIO SYL		MCPA (14 day interval)					
DUPLOSAN KV	LIBERATOR + PIXXARO + BIO SYL		PIXXARO + BIO SYL					

FUNGICIDES				
Aquino + Arizona + Syrex	AVIATOR 235 XPRO + MOJAVE	Dithane 945 + Peqtiga + Tesanto	Mojave + Myresa + Syrex	
Aquino + Syrex	AVIATOR 235 XPRO + TALIUS	Dithane 945 + Questar + Velogy Plus	Mojave + Vegas	
ARIZONA	AVIATOR 235 XPRO + VEGAS	ELATUS ERA	MOJAVE + PROSARO	
ARIZONA + AVIATOR 235 XPRO	COLORADO	ELATUS ERA + MIRROR	PEACOQ +PRIAXOR	
ARIZONA + ELATUS ERA	COLORADO + ELATUS ERA	ELATUS ERA + MOJAVE	PEQTIGA + ELATUS PLUS	
ARIZONA + ELATUS PLUS + PEACOQ	COLORADO + LIBRAX	ELATUS PLUS + PEACOQ	PEQTIGA + TESANTO	
ARIZONA + INCONIQ + VELOGY PLUS	COLORADO + PROSARO	ELATUS ERA + TALIUS	PRIAXOR	
ARIZONA + LIBRAX	COMET 200	Flyer + Mojave + Vegas	PROLINE 275	
ARIZONA + PEACOQ +PRIAXOR	CYFLAMID	Guardian*	PROSARO*	
ARIZONA + PEQTIGA + ELATUS PLUS	DECOY 250EC	INCONIQ + VELOGY PLUS	PROSARO* + TALIUS	
Arizona + Peqtiga + Helix	Decoy 250EC + Kavatur Plus + Mojave	LIBRAX	Provyto XE	
ARIZONA + PEQTIGA + TESANTO	Decoy 250EC + Mojave + Serpent	LIBRAX + MIRROR	QUESTAR + VELOGY PLUS	
ARIZONA + PROSARO	Decoy 250EC + Mojave + Silvron Pro	LIBRAX + MOJAVE	Revystar XE	
ARIZONA + QUESTAR + VELOGY PLUS	Diadem XE	LIBRAX + TALIUS	Sentinel*	
Ascra Xpro	Dithane 945	MIRROR	TALIUS	
AVIATOR 235 XPRO	Dithane 945 + Elatus Plus + Peacoq	MIRROR + PROSARO	UNIVOQ	
AVIATOR 235 XPRO + COLORADO	Dithane 945 + Inconiq + Velogy Plus	Mivyto XE	VEGAS	
AVIATOR 235 XPRO + CYFLAMID	Dithane 945 + Peqtiga + Elatus Plus	MOJAVE	Verydor XE	
AVIATOR 235 XPRO + MIRROR				

INSECTICIDES DO NOT mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval								
Clayton Sparta		HALLMARK WITH ZEON	KUSTI		Sven			

ADJUVANTS						
ABACUS - 1% of spray vol	BOOST (Zantra), TONTO (Frontier)	KINETIC - 50 ml/ha	Surfer - 0.5% of spray vol			
ACTIVATOR 90 - 0.1% of spray vol	BUZZ - 0.1% of spray vol	Nelson	TORPEDO II - 0.1% of spray vol			
ACTIVATOR 90 - 0.1% of spray vol + X-Change	DIAMOND - 0.5% of spray vol	RESPOND - 0.5% of spray vol	Validate - 0.5% of spray vol			
ARMA - 0.1% of spray vol	DRILL - 0.5% of spray vol	ROLLER - 50 ml/ha	Velocity - 0.5% of spray vol			
BIOPOWER - 1.0 I/ha	FELIX - 0.5% of spray vol	SPARTAN - 0.1% of spray vol	VIKING - 0.5% of spray vol			
BIO SYL - 1.0% of spray vol + X-Change	FORTUNE - 0.5% of spray vol	SPRYTE AQUA - 0.5% of spray vol + X-Change	X-change			
BIO SYL - 1.0% of spray vol aka Cogent (Procam)	KANTOR - 0.15% of spray vol	Spryte Aqua CF				

PLANT GROWTH REGULATORS	Leave 7 day interval for f	ull rate PGRs. V	When tank mixing use Broadway Star	r + adjuvant p	olus half rate CCC only†		
3C CHLORMEQUAT 750 ( <half dose)†<="" th=""><th>sw</th><th></th><th></th><th></th><th></th><th></th><th></th></half>	sw						

TRACE ELEMENTS For liquid fertilisers - leave a three	day interval			
Bortrac (3.0 l/ha)	Magflo 300 (4.0 l/ha)	Max-phi Manganese	Rapitrel (3.0 l/ha)	
Calfite Extra	Magistrate	Mensa + Abacus	Safe-N (10 l/ha)	
Coptrel (0.5 I/ha)	Magphos K (10 l/ha)	Multiple Pro	SMART ATS	
Croplift (5.0 kg/ha)	Maize Boost (5.0 l/ha)	NTS Triple Ten	SMART MagiiK Manganese	
Epso Top + Abacus	Mancozin (2.0 I/ha)	Nutrino-Pro	SMART Manganese	
Foliar Potash (10 I/ha)	Mancuflo (2.0 l/ha)	Nutri-Phite PGA	Stem	
FMC BORON 15	MANIFOL	Proleaf Gate	Stopit (10 l/ha)	
FMC Brock	Mantrac 500 (1.0 l/ha)	Proleaf Jettzin	Sulphur F3000 (10 l/ha)	
FMC COPPER	MANTRAC DF (3.0 kg/ha)	Proleaf Manganese Extra	Terrasorb Foliar Extra	
FMC Mn 500	Master Magnesium + TE + pH modifier Optiphol	Proleaf Quattro	Zintrac 700 (1.0 l/ha)	
FMC SUPER 80	Master Manganese Plus	Proleaf Quattro		
Liquid Mn 15% (3.0 l/ha)	MaxMan 400 (add trace element first)	Proleaf Rock		

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience to expense in a grower's compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's

risk.

Important Note: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH; temperature etc. can array. Biological compatibility data is based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own

NOTES:
Broadway Star should always be used with an approved adjuvant.
Do not mix Broadway Star With OPs, MCPA and Dicamba
For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.
Do not harrow or roll within 7 days before or after an application of Broadway Star.

NCT.

\*\* Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage.

\*\* Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An interval of at least **7 days** must be regarded before applying a higher rate of chlormequat or any other PGR.

### **UPDATES February 2025:**

Removed: Intracrop Felix, Intracrop Warrior
Added: Inatreq + Arizona + Elatus Plus, Univoq, Inatreq + Priaxor / Syrex

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL Corteva Agriscience". Unit H, Building H4, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB.

\*\* Trademarks of Corteva Agriscience and its affiliated companies.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

\*\*Broadway Star contains florasulam and pyroxsulam

Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk