

BROADWAY STAR® TANK-MIX COMPATIBILITY in Winter Wheat, Winter Rye and Triticale

PLEASE ENSURE YOU READ THE NOTES SECTION
This version supersedes all previous editions

Scroll to page 3 for spring wheat

Normal = Physically Compatible	<i>(Italics in brackets) = Sprayable with Continuous Agitation</i>	Red on Blue = PHYSICALLY INCOMPATIBLE	RED ON BLUE = CROP INJURY
BOLD CAPITALS = Physically & Biologically Compatible	(BOLD ITALICS IN BRACKETS) = Biologically compatible - maintain constant agitation		

Herbicides

FOR DEFY READ ACROSS TO CLEANCROP COMPLY, CLEANCROP OBEY, NURON, QUIDAM, ROXY, SPINNAKER, TOPSAIL AND WICKET
FOR STOMP 400 EC READ ACROSS TO ANTHEM, CLAYMORE, EXIMUS, MOST MICRO AND TORRES
ALLY MAX SX READ ACROSS TO ALIAS SX, ANSWER SX, AVRO SX, BIPLAY SX, CHIMERA SX, CLEANCROP MONDIAL, FINY, FINISH SX, GROPPER SX, INKA SX, JUBILEE SX, LORATE, PRESITE SX, RATIO SX, REFINE MAX SX, SIMBA SX, TRATON SX. FOR HARMONY M SX READ ACROSS TO CONCERT SX AND PENNANT

ALIAS SX	ww	Dicamba products (14 day interval)	ww	LIBERATOR + ZYPAR + BIOSYLØ	ww	SAXON (14 day interval)	
ALLY MAX SX	ww	DUPLOSAN KV	ww	LORATE	ww	Seduce	
ALLY MAX SX + STOMP 400 SC		DUPLOSAN KV + STOMP 400 SCØ	ww	MCPA (14 day interval)		SIMBA SX	
ANSWER SX	ww	FINISH SX	ww	MOSAIC SX	ww	SLALOM*	ww
AVRO SX	ww	FIREBIRDØ	ww	MOST MICRO + QUIDAMØ	ww	SPITFIRE* (0.75 L/ha)	ww
Axial Pro		Fox		NEVADA* (0.75 L/ha)	ww	SPITFIRE* + TOPIK* +/- ACTIROB B	ww
BARTON WG*	ww	GALAXY *	ww	NEVADA* + TOPIK* +/- ACTIROB B	ww	STARANE Hi-Load HL	ww
BIPLAY SX	ww	GARTREL*		ORIENT Ø		STARANE Hi-Load HL + STOMP 400 SCØ	ww
BOXER*	ww	GARTREL* + TOPIK* +/- ACTIROB B	ww	Parana	ww	STARANE XL*	ww
CALIBRE SX	ww	GF-184*	ww	PENNANT	ww	STARANE XL* + STOMP 400 SC Ø	ww
CHIMERA SX	ww	Giddo		PicoMax Ø	ww	(STOMP AQUA) (add first)Ø	ww
Cinder + Activator 90		GROPPER SX	ww	PICONA + PIXXARO + BIOSYL Ø	ww	STOMP AQUA + ZYPAR + BIOSYLØ	
(Cinder + Kantor/Spryte Aqua)Ø		HARMONY M SX	ww	PICONA + ZYPAR + BIOSYLØ	ww	STOMP 400 Ø	ww
(Cinder + Kinetic)Ø		HERBOXONE	ww	PICONA Ø	ww	STOMP 400 EC + TOPIK Ø	ww
CLAYMORE + TOWER	ww	HIKER*	ww	PicoPro Ø	ww	STOMP 400 EC + TOWER Ø	ww
CLEANCROP MONDIAL	ww	HUNTER*	ww	PicoStomp Ø	ww	STOMP 400 EC + ZYPAR + BIOSYLØ	ww
CONCERT SX	ww	HURRICANE + PIXXARO + BIOSYLØ	ww	PIXXARO	ww	Sunfire + BiosylØ	
(Crystal + Activator 90)Ø		HURRICANE + ZYPAR + BIOSYLØ	ww	PIXXARO + STOMP 400 SC + BIOSYLØ	ww	System 50 + Bio SylØ	
CYCLOPS + PIXXARO + BIOSYL	ww	HURRICANEØ	ww	PIXXARO + STOMP AQUA + BIOSYLØ	ww	TAXI	
CYCLOPS + ZYPAR + BIOSYL	ww	(Ice)Ø		POLO (14 day interval)		THOR	ww
DAKOTA*	ww	INKA SX	ww	PRESITE SX	ww	TOPIK*	ww
DefyØ		JUBILEE SX	ww	PROSPECT + STOMP 400 SC		TRATON SX	ww
		Lantern + BiosylØ		Quirinus + BiosylØ		(Trooper)Ø	
		LiberatorØ		RATIO SX	ww	XERTON + Biosyl	ww
		LIBERATOR + PIXXARO + BIOSYLØ	ww	REFINE MAX SX	ww	ZYPAR*	ww

Fungicides

ADEXAR	ww	Cerix		(Iodus) biofungicide elicitor		PROSARO** + TALIU	ww
ADEXAR + ARIZONA	ww	CHEROKEE	ww	JAUNT	ww	(Provyto XE)	
ADEXAR + COLORADO	ww	Chord + Activator 90/Bio Syl/Drill/Torpedo		Kansas		Quell Flo + Bio Syl/Drill/Torpedo	
ADEXAR + TALIU	ww	COLORADO	ww	Kingdom		Quell Flo + Activator 90	
Agate + Abacus		COLORADO + ELATUS ERA	ww	LIBRAX	ww	(Revystar XE)	
AMISTAR	ww	COLORADO + LIBRAX	ww	LIBRAX + MIRROR	ww	Sakura (see Folicur)**	
ARIZONA	ww	COLORADO + PROSARO		LIBRAX + MOJAVE	ww	Seguris	
ARIZONA + AVIATOR 235 XPRO	ww	COMET	ww	LIBRAX + TALIU	ww	SERPENT	ww
ARIZONA + BRUTUS		CRAFTER**		Manitoba		Skyway 285 Xpro (see Folicur)**	
ARIZONA + ELATUS ERA	ww	CYFLAMID	ww	Mirador Extra		Sparticus Xpro (see Folicur)**	
ARIZONA + LIBRAX	ww	Decoy 250EC		MIRAGE	ww	SWIFT SC	ww
ARIZONA + PROSARO		(Decoy 250EC + Kavatur + Mojave)		MIRROR	ww	SWING GOLD	
AVIATOR 235 XPRO	ww	(Decoy 250EC + Mojave + Serpent)		MIRROR + PROSARO		SYREX	ww
AVIATOR 235 XPRO + COLORADO	ww	(Decoy 250EC + Mojave + Silvrn Pro)		(Mivryto XE)		TALIU	ww
AVIATOR 235 XPRO + CYFLAMID	ww	(Diadem XE)		MOJAVE	ww	Talius + Vareon + Activator 90 (Crop Damage)**	
AVIATOR 235 XPRO + MIRROR	ww	DITHANE 945		(Mojave + Myresa + Syrex)		TIMPANI**	
AVIATOR 235 XPRO + MOJAVE	ww	Eclipse		MOJAVE + PROSARO		Toledo (SC formulations only)**	
AVIATOR 235 XPRO + TALIU	ww	ELATUS ERA	ww	(Mojave + Vegas)		TOLEDO + BIO SYL 1% **	
Azoxystar		ELATUS ERA + MIRROR	ww	Monkey + Abacus		Tracker	
Bassoon		ELATUS ERA + MOJAVE	ww	OPERA	ww	Tucana	
Boogie Xpro		ELATUS ERA + TALIU	ww	OPUS	ww	Ulysses (SC formulations only)**	
BRUTUS	ww	Enterprise		OPUS + SWIFT SC	ww	ULYSSES + BIO SYL 1% **	
BRUTUS + COLORADO		FANDANGO	ww	Orius P + Abacus		UNIX	ww
BRUTUS + MIRROR		Flyer 200		Phoenix		Vareon + Bio Syl but note crop damage with Vareon**	
BRUTUS + MOJAVE		(Flyer + Mojave + V...)		Platoon 250		Variano Xpro	
BRUTUS + TALIU	ww	FOLICUR**	** Folicur is PC, but in trials the 2N rate has caused height reductions. Pending further trials this is at growers risk. other tebuconazole tank mixes similar	PRIAXOR	ww	VEGAS	ww
CAPALO	ww	(Firefly)		PRIORI XTRA	ww	(Verdydor XE)	
CARAMBA 90	ww	Ignite		PROLINE 275	ww	Vivid	
Ceando + Kinetic		(Impact)		PROSARO**	ww		
		(Imtrex + Osiris P)					

Insecticides Don't mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

Contest		FURY 10 EW	ww	Karate 2.5 WG		(Mavrik + Activator 90)	
Clayton Sparta		Gandalf		Kusti		(Mavrik + Bio Syl)	
(Decis Protech)		HALLMARK ZEON CS	ww	Markate 50		PERMASECT 500 EC	ww
						(Sven)	

Adjuvants

Abacus -1% of spray vol		Bio Syl - 1.0% of spray vol aka Cogent Procarm,		Intracrop Felix - 0.5% of spray vol		Spartan - 0.1% of spray vol	
Activator 90 - 0.1% of spray vol		Tonto Frontier, Boost Zandra		Intracrop Warrior - 0.5% of spray vol		Spryte Aqua - 0.5% of spray vol + X-Change	
Activator 90 - 0.1% of spray vol + X-Change		Buzz - 0.1% of spray vol		Kantor - 0.15% of spray vol		Torpedo II - 0.1% of spray vol	
Arma - 0.1% of spray vol		Drill - 0.5% of spray vol		Kinetic / Roller - 50 ml/ha		Viking - 0.5% of spray vol	
Biopower - 1l/ha		Headland Fortune - 0.5% of spray vol		(Nelson)		(X-change)	
Bio Syl - 1.0 % of spray vol + X-Change		Headland Diamond - 0.5% of spray vol		Respond - 0.5% of spray vol			

Growth Regulators Leave 7 day interval for full rate PGRs. When tank mixing use Broadway Star + adjuvant plus half rate CCC only.†

ADJUST (< half dose)†	ww	CANOPY		METEOR		TERPAL	
3C CHLORMEQUAT 750 (<half dose)†	ww	CERONE		MODDUS			

Trace Elements For Liquid fertilisers - leave a three day interval

(Bortrac 3 L)		Liquid Mn 15% 3 L		Master Manganese Plus		(Proleaf Rock)	
(Calfite Extra)		(Magflo 300 4 L)		MaxMan 400 (add trace element first)		(Rapitrel 3 L)	
Coptrel 0.5 L		(Magistrate)		Max-phi Manganese		Safe-N 10 L	
(Craplift 5 kg)		Magphos K 10 L		Mensa + Abacus		SMART ATS	
(Epsa Top + Abacus)		(Mancosin 2 L)	Corteva Agriscience	(Multiple Pro)		SMART Magiik Manganese	
Foliar Potash 10 L		(Mancuflo 2 L)		(Nutrino-Pro)		SMART Manganese	

FMC BORON 15	ww	MANIFOL	ww	Nutri-Phite PGA	Stopit 10 L
(FMC Brock)		Mantrac 500 1 L		(Proleaf Gate)	Sulphur F3000 10 L
FMC COPPER	ww	MANTRAC DF 3 kg	ww	(Proleaf Jettzin)	(Terrasorb Foliar Extra)
FMC Mn 500	ww	Maize Boost 5 L		(Proleaf Manganese Extra)	Zintrac 700 1 L
FMC SUPER 80	ww	Master Magnesium + TE + pH modifier Optiphil		(Proleaf Quattro)	

COMBINATION MIXES

HERBICIDES PLUS FUNGICIDES

Ally Max SX + Aviator 235 Xpro + Talius		Galaxy* + Ceando		STOMP 400 SC + FLEXITY	ww	Zypar + Aviator 235 Xpro + Talius
Ally Max SX + Brutus		SPITFIRE* + IGNITE	ww	STOMP 400 SC + OPERA Ø	ww	Zypar + Brutus
Ally Max SX + Brutus + Talius		SPITFIRE* + CEANDO	ww	STOMP 400 SC + OPUS Ø	ww	Zypar + Brutus + Talius
Ally Max SX + Prosaró**		Spitfire* + Ceando		STOMP 400 SC + UNIX Ø	ww	Zypar + Prosaró**
Ally Max SX + Prosaró** + Talius		STOMP 400 SC + AMISTAR Ø	ww	STOMP AQUA + CEANDO Ø	ww	Zypar + Prosaró** + Talius
Ally Max SX + Talius		STOMP 400 SC + FANDANGO	ww	Zypar + Aviator 235 Xpro		Zypar + Talius

HERBICIDES PLUS INSECTICIDES

STOMP 400 SC + HALLMARK ZEON CS Ø	ww	STOMP 400 SC + PERMASECT 500 EC		STOMP 400 SC + TOPPEL 10 Ø	ww	
-----------------------------------	----	---------------------------------	--	----------------------------	----	--

HERBICIDES PLUS TRACE ELEMENTS

Ally Max SX + Headland Copper		Spitfire* + Nutri-Phite PGA		STOMP 400 SC + HEADLAND SUPER 80 Ø	ww	Zypar* + Headland Jett + Biosyl
Galaxy* + Nutri-Phite PGA		STOMP 400 SC + HEADLAND BORON 15 Ø	ww	STOMP 400 SC + HEADLAND ZINC		Zypar* + Headland Manganese 400 + Biosyl
PIXXARO + HEADLAND JETT + BIOSYL	ww	STOMP 400 SC + HEADLAND COPPER Ø	ww	STOMP 400 SC + MANIFOL Ø	ww	
PIXXARO + HEADLAND MANGANESE + BIOSYL	ww	STOMP 400 SC + HEADLAND Mn 500 Ø	ww	STOMP 400 SC + MANTRAC DF 3 kg	ww	

FUNGICIDES PLUS TRACE ELEMENTS

OPUS + HEADLAND Mn500	ww	OPUS + HEADLAND SUPER 80	ww			
-----------------------	----	--------------------------	----	--	--	--

INSECTICIDES PLUS TRACE ELEMENTS

Hallmark Zeon + Max-phi Manganese		(Karate 2.5 WG + Headland Brock)				
-----------------------------------	--	----------------------------------	--	--	--	--

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.
Important Note: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.
 Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899
 Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials. Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES

Broadway Star should always be used with an approved adjuvant.

Topik is supported in mix with Broadway Star up to the end of February.

Ø Residual herbicides can be used in mixture or short sequence with Broadway Star, while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines to reduce residual activity then a 4 week interval between the residual herbicide and an application of Broadway Star is recommended to maximise grass weed control and the tank-mix is no longer supported.

* Do not exceed maximum total dose of florasulam within growing season

** Corteva Agriscience only support compatibilities with Broadway Star and SC formulations of tebuconazole NOT the EW formulations as it causes an additive PGR effect and possible crop damage

† Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An intervals of at least 7 days must be regarded before applying a higher rate of chlormequat or any other PGR.

Do not mix Broadway Star With OPs, MCPA and Dicamba

For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.

Do not harrow or roll within 7 days before or after an application of Broadway Star.

Updates

Products Removed - Absolute, Ally Express, Aria, Bullion, Ductis SX, Exceed SX, Excalibur, GEX 353, Headland Surefire Gold, Imge, Lexus SX, Oklar SX, Oriol SX, Oxytril, CRM, Primus 25EC, Quantum SX, Staka SX, Triad, Acanto, Acanto Prima, Centaur, Demeo, Ennohe, Excelsior, Flamenco, Landmark, Menara, Olympus SC, Orka, Poraz, Torch, Torch Extra, Dimethoate

26th November 2019 - added Lantern, Tower
 22nd January 2020 - changed Toppel 10 to Permasect 500 EC; 28th January 2021 - removal of withdrawn products; 15th March 2021 - addition of Azoxystar; 22nd March 2021 - addition of Callite Extra, Firefly, Impact, Iodus, Multiple Pro, Sakura and Terrasorb Foliar Extra, removal of multi-way mixes with Dely; 23rd March 2021 - addition of Biopower, Monkey and Orius P; 24th March 2021 - addition of Nelson; 13th April 2021 - addition of Revystar XE and alternative brands, Diadem XE, Mivyto XE, Provyto XE, and Verydor XE; 29th April 2021 - updated list to include Silvrton Pro, Kavatur Plus, Myresa, Sven and additional trace elements

**USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
 FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL**
 Corteva Agriscience™, CPC2 Capital Park, Fulbourn, Cambridge, Cambridgeshire, CB21 5XE. Tel: +44 (0) 1462 457272.

™ & ® Trademarks of Corteva Agriscience and its affiliated companies.
 All other brand names are trademarks of other manufacturers for which proprietary rights may exist.
 Broadway Star contains florasulam and pyroxulam
 Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk

BROADWAY STAR® TANK-MIX COMPATIBILITY in Spring wheat

PLEASE NOTE THE MAXIMUM DOSE RATE OF BROADWAY STAR IN SPRING WHEAT IS 200G/HA. APPLICATION IS FROM 1ST MARCH ONLY

SPRING WHEAT IS DEFINED AS ANY WHEAT PLANTED AFTER 1ST FEBRUARY REGARDLESS OF VARIETAL BREEDING

PLEASE ENSURE YOU READ THE NOTES SECTION
This version supersedes all previous editions

Normal = Physically Compatible	<i>(Italics in brackets) = Sprayable with Continuous Agitation</i>	Red on Blue = PHYSICALLY INCOMPATIBLE	RED ON BLUE = CROP INJURY
BOLD CAPITALS = Physically & Biologically Compatible	(BOLD ITALICS IN BRACKETS) = Biologically compatible - maintain constant agitation		

Herbicides
NO JOINT APPLICATIONS WITH ALS CONTAINING PRODUCTS APPROVED ON SPRING WHEAT

AXIAL PRO	SW	DUPLOSAN KV		PIXXARO + BIOSYL	SW	
-----------	----	-------------	--	------------------	----	--

Fungicides

ADEXAR	SW	AVIATOR 235 XPRO + TALIUUS	SW	(Decoy 250EC + Kavatur Plus + Mojave)		(Mivvto XE)
ADEXAR + ARIZONA	SW	AVIATOR 235 XPRO + VEGAS	SW	(Decoy 250EC + Mojave + Serpent)		MOJAVE
ADEXAR + MIRROR	SW	AVIATOR XPRO + COLORADO	SW	(Decoy 250EC + Mojave + Silvrn Pro)		(Mojave + Myresa + Syrex)
ADEXAR + MOJAVE	SW	BRUTUS	SW	(Diadem XE)		(Mojave + Vegas)
ADEXAR + TALIUUS	SW	BRUTUS + COLORADO		ELATUS ERA	SW	MOJAVE + PROSARO
ARIZONA	SW	BRUTUS + MIRROR		ELATUS ERA + MIRROR	SW	PRIAXOR
ARIZONA + AVIATOR 235 XPRO	SW	BRUTUS + MOJAVE		ELATUS ERA + MOJAVE	SW	PROLINE 275
ARIZONA + BRUTUS		BRUTUS + TALIUUS	SW	ELATUS ERA + TALIUUS	SW	PROSARO*
ARIZONA + ELATUS ERA	SW	COLORADO	SW	(Flyer + Mojave + Vegas)		PROSARO* + TALIUUS
ARIZONA + LIBRAX	SW	COLORADO + ELATUS ERA		LIBRAX	SW	(Provyto XE)
ARIZONA + PROSARO		COLORADO + LIBRAX	SW	LIBRAX + MIRROR	SW	(Revystar XE)
AVIATOR 235 XPRO	SW	COLORADO + PROSARO		LIBRAX + MOJAVE	SW	TALIUUS
AVIATOR 235 XPRO + CYFLAMID	SW	COMET	SW	LIBRAX + TALIUUS	SW	VEGAS
AVIATOR 235 XPRO + MIRROR	SW	CYFLAMID	SW	MIRROR	SW	(Verydor XE)
AVIATOR 235 XPRO + MOJAVE	SW	DECOY 250EC	SW	MIRROR + PROSARO		

Insecticides Don't mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

Clayton Sparta		HALLMARK WITH ZEON	SW	KUSTI	SW	(Sven)
----------------	--	--------------------	----	-------	----	--------

Adjuvants

Abacus -1% of spray vol	Bio Syl - 1.0% of spray vol aka Cogent Procam,	Intracrop Felix - 0.5% of spray vol	Spartan - 0.1% of spray vol
Activator 90 - 0.1% of spray vol	Tonto Frontier, Boost Zandra	Intracrop Warrior - 0.5 % of spray vol	Spryte Aqua - 0.5% of spray vol + X-Change
Activator 90 - 0.1% of spray vol + X-Change	Buzz - 0.1% of spray vol	Kantor - 0.15% of spray vol	Torpedo II - 0.1% of spray vol
Arma - 0.1% of spray vol	Drill - 0.5% of spray vol	Kinetic / Roller - 50 ml/ha	Viking - 0.5% of spray vol
Biopower - 1l/ha	Headland Fortune - 0.5% of spray vol	(Nelson)	(X-change)
Bio Syl - 1.0 % of spray vol + X-Change	Headland Diamond - 0.5% of spray vol	Respond - 0.5% of spray vol	

Growth Regulators Leave 7 day interval for full rate PGRs. When tank mixing use Broadway Star + adjuvant plus half rate CCC only†

3C CHLORMEQUAT 750 (<half dose)†	SW					
----------------------------------	----	--	--	--	--	--

Trace Elements For Liquid fertilisers - leave a three day interval

(Bortrac 3 L)		Liquid Mn 15% 3 L		Master Manganese Plus		(Proleaf Rock)
(Calfit Extra)		(Magflo 300 4 L)		MaxMan 400 (add trace element first)		(Rapitrel 3 L)
Coptrel 0.5 L		(Magistrate)		Max-phi Manganese		Safe-N 10 L
(Croplift 5 kg)		Magphos K 10 L		Mensa + Abacus		SMART ATS
(Epsa Top + Abacus)		(Mancozin 2 L)		(Multiple Pro)		SMART Magiik Manganese
Foliar Potash 10 L		(Mancufla 2 L)		(Nutrina-Pro)		SMART Manganese
FMC BORON 15	ww	MANIFOL	ww	Nutri-Phite PGA		Stopit 10 L
(FMC Brock)		Mantrac 500 1 L		(Proleaf Gate)		Sulphur F3000 10 L
FMC COPPER	ww	MANTRAC DF 3 kg	ww	(Proleaf Jettzin)		(Terrasorb Foliar Extra)
FMC Mn 500	ww	Maize Boost 5 L		(Proleaf Manganese Extra)		Zintrac 700 1 L
FMC SUPER 80	ww	Master Magnesium + TE + pH modifier Optiphil		(Proleaf Quattro)		

COMBINATION MIXES

FUNGICIDES PLUS INSECTICIDES

--	--	--	--	--	--	--

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.

Important Note: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES
Broadway Star should always be used with an approved adjuvant.
* Corteva Agriscience only support compatibilities with Broadway Star and SC/EC formulations of tebuconazole NOT the EW formulations as it causes an additive PGR effect and possible crop damage
† Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An intervals of at least 7 days must be regarded before applying a higher rate of chlormequat or any other PGR.

Do not mix Broadway Star With OPs, MCPA and Dicamba
Do not mix containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.
Do not harrow or roll within 7 days before or after an application of Broadway Star.

Updates
New tank-mix list
26th January 2021 - removal of withdrawn products; 22nd March 2021 - addition of Calfit Extra, Multiple Pro and Terrasorb Foliar Extra; 23rd March 2021 - addition of adjuvants; 24th March 2021 - addition of Nelson; 13th April 2021 - addition of Revystar XE and alternative brands, Diadem XE, Mivvto XE, Provyto XE, and Verydor XE 29th April 2021 - updated list to include Silvrn Pro, Kavatur Plus, Myresa, Sven and additional trace elements

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL
Corteva Agriscience™, CPC2 Capital Park, Fulbourn, Cambridge, Cambridgeshire, CB21 5XE. Tel: +44 (0) 1462 457272.
™ * Trademarks of Corteva Agriscience and its affiliated companies.
All other brand names are trademarks of other manufacturers for which proprietary rights may exist.
Broadway Star contains florasulam and pyroxusulam
Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk