

17 February 2025

PALIO® TANK-MIX COMPATIBILITY in WINTER WHEAT, RYE & TRITICALE

PLEASE ENSURE YOU READ THE NOTES SECTION

This version supersedes all previous editions

Normal = Physically Compatible BOLD CAPITALS = Physically & Biologically Compatible

Italics = Physically Compatible with Continuous Agitation Bold Italics = Biologically Compatible with Continuous Agitation Red on Blue = Physically Incompatible RED ON BLUE = CROP INJURY - INCOMPATIBLE

HERBICIDES

FUNCIODES

FOR DEPY READ ACROSS TO CLAYTON COMPLY, CLAYTON OBEY, QUIDAM, ROXY, SPINNAKER, TOPSAIL & WICKET FOR STOMP 400 EC READ ACROSS TO ANTHEM, CLAYMORE, EXIMUS, MOST MICRO & TORRES FOR ALLY MAX SX READ ACROSS TO AINAS SX, ANSWER SX, AVRO SX, BIPLAY SX, CHIMERA SX, CLEANCROP MONDIAL, FINY, FINISH SX, GROPPER SX, INKA SX, JUBILEE SX, LORATE, PRESITE SX, RATIO SX, REFINE MAX SX, SIMBA SX, TRATON SX. FOR HARMONY M SX READ ACROSS TO CONCERT SX AND PENNANT.

ALIAS SX	ww	DUPLOSAN KV + STOMP 400 SC ^Ø	ww	MOZAIC SX	ww	SIMBA SX	
ALLY MAX SX	ww	FINISH SX	ww	NEVADA* (0.75 l/ha)	ww	SLALOM*	ww
ALLY MAX SX + STOMP 400 SC		FIREBIRD ^Ø	ww	NEVADA* + TOPIK [#] +/- ACTIROB B	ww	SPITFIRE* (0.75 l/ha)	ww
ANSWER SX	ww	Fox		ORIENT		SPITFIRE* + TOPIK [#] +/- ACTIROB B	ww
AVRO SX	ww	GALAXY*	ww	Parana		STARANE Hi-Load HL	ww
Axial Pro		GF-184*	ww	PENNANT	ww	STARANE Hi-Load HL + STOMP 400 SC ^Ø	ww
BARTON WG*	ww	Giddo		PicoMax ^Ø	ww	STARANE XL*	ww
BIPLAY SX	ww	GROPPER SX	ww	PICONA ^Ø	ww	STARANE XL* + STOMP 400 SC ^Ø	ww
BOXER*	ww	HARMONY M SX	ww	PICONA + PIXXARO + BIO SYL/SURFER ^Ø	ww	Stomp Aqua (add first) ^ø	ww
CALIBRE SX	ww	HERBOXONE	ww	PICONA + ZYPAR + BIO SYL ^Ø	ww	STOMP AQUA + ZYPAR + BIO SYL ^Ø	ww
CHIMERA SX	ww	HUNTER*	ww	PicoPro ^Ø	ww	STOMP 400 SC ^Ø	ww
Cinder + Activator 90		HURRICANE + PIXXARO + BIO SYL/SURFER ^Ø	ww	PicoStomp ^ø	ww	STOMP 400 SC + TOPIK ^Ø	ww
Cinder + Kantor/Spryte Aqua Ø		HURRICANE + ZYPAR + BIO SYL ^Ø	ww	PIXXARO	ww	STOMP 400 SC + TOWER ^Ø	ww
Cinder + Kinetic ^Ø		HURRICANE	ww	PIXXARO + STOMP 400 SC + BIO SYL ^Ø	ww	STOMP 400 SC + ZYPAR + BIO SYL ^Ø	ww
CLAYMORE + TOWER	ww	INKA SX	ww	PIXXARO + STOMP AQUA + BIO SYL ^Ø	ww	Sunfire + Bio Syl ^Ø	
CLEANCROP MONDIAL	ww	JUBILEE SX	ww	POLO (14 day interval)		System 50 + Bio Syl ^ø	
CONCERT SX	ww	Lantern + Bio Syl ^ø		PRESITE SX	ww	TAXI	
Crystal + Activator 90 Ø		Liberator ^ø		PROSPECT + STOMP 400 SC		торік"	ww
DAKOTA*	ww	LIBERATOR + PIXXARO + BIO SYL/SURFER ^Ø	ww	Quirinus + Bio Syl ^ø		Tower	
Defy ^Ø		LIBERATOR + ZYPAR + BIO SYL ^Ø	ww	RATIO SX	ww	TRATON SX	ww
Defy + Giddo		LORATE	ww	REFINE MAX SX		Trooper ^ø	
Defy + Hurricane		MCPA (14 day interval)		SAXON (14 day interval)		XERTON + BIO SYL	ww
Defy + Liberator		MOST MICRO + QUIDAM ^Ø	ww	Seduce		ZYPAR*	ww
Dicamba products (14 day interval)	ww						
DUPLOSAN KV	ww						

FUNGICIDES							
Agate + Abacus		CARAMBA 90	ww	Flyer 200 + Mojave + Vegas		PRIAXOR	ww
AMISTAR	ww	Caramba 90 + Peacoq + Priaxor		FOLICUR		PROLINE 275	ww
Aquino + Arizona + Caramba 90 + Syrex		COLORADO	ww	Guardian**		PROSARO**	ww
Aquino + Arizona + Syrex		COLORADO + ELATUS ERA	ww	Imtrex		PROSARO** + TALIUS	ww
Aquino + Syrex		COLORADO + LIBRAX	ww	Inconiq + Aprovia Plus		Provyto XE	
ARIZONA	ww	COLORADO + PROSARO		Iodus (biofungicide elicitor)		Questar + Velogy Plus	
ARIZONA + AVIATOR 235 XPRO	ww	COMET 200	ww	JAUNT	ww	Revystar XE	
Arizona + Caramba 90 + Peacoq + Priaxor		CYFLAMID	ww	LIBRAX	ww	SAKURA	
ARIZONA + ELATUS ERA	ww	Decoy 250EC		LIBRAX + MIRROR	ww	Sentinel**	
Arizona + Elatus Plus + Peacoq		Decoy 250EC + Kavatur + Mojave		LIBRAX + MOJAVE	ww	SERPENT	ww
Arizona + Inconiq + Aprovia Plus		Decoy 250EC + Mojave + Serpent		LIBRAX + TALIUS	ww	SKYWAY 285 XPRO	
ARIZONA + LIBRAX	ww	Decoy 250EC + Mojave + Silvron Xpro		MIRAGE	ww	SPARTICUS XPRO	
Arizona + Pegtiga + Helix		Diadem XE		MIRROR	ww	SWIFT SC	ww
Arizona + Pegtiga + Tesanto		DITHANE 945		MIRROR + PROSARO		SYREX	ww
ARIZONA + PROSARO		Dithane 945 + Inconiq + Velogy Plus		Mivyto XE		TALIUS	ww
Arizona + Questar + Velogy Plus		Dithane 945 + Peacoq + Elatus Plus		MOJAVE	ww	TOLEDO	
Ascra Xpro		Dithane 945 + Pegtiga + Tesanto		Mojave + Myresa + Syrex		TOLEDO + BIO SYL 1%	
AVIATOR 235 XPRO	ww	Dithane 945 + Questar + Velogy Plus		MOJAVE + PROSARO		Tucana	
AVIATOR 235 XPRO + COLORADO	ww	ELATUS ERA	ww	Mojave + Vegas		ULYSSES	
AVIATOR 235 XPRO + CYFLAMID	ww	ELATUS ERA + MIRROR	ww	Monkey + Abacus		ULYSSES + BIO SYL 1%	
AVIATOR 235 XPRO + MIRROR	ww	ELATUS ERA + MOJAVE	ww	Orius P + Abacus		UNIX	ww
AVIATOR 235 XPRO + MOJAVE	ww	Elatus Plus + Peacoq		Peacoq + Priaxor		Univoq	
AVIATOR 235 XPRO + TALIUS	ww	ELATUS ERA + TALIUS	ww	Pegtiga + Helix		Variano Xpro	
Azoxystar		FANDANGO		Pegtiga + Tesanto		VEGAS	ww
Boogie Xpro		Firefly	ww	Phoenix		Verydor XE	
		Flyer 200		Platoon 250		Vivid	

INSECTICIDES DO NOT mix with	VSECTICIDES DO NOT mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval						
Clayton Sparta		Kusti		Mavrik + Bio Syl			
Decis Protech		Markate 50		Sven			
HALLMARK ZEON	ww	Mavrik + Activator 90					

ADJUVANTS ABACUS - 1% of spray vol BOOST (Zantra), TONTO (Frontier) KINETIC - 50 ml/ha Surfer - 0.5% of spray vol ACTIVATOR 90 - 0.1% of spray vol BUZZ - 0.1% of spray vol TORPEDO II - 0.1% of spray vol Nelse RESPOND - 0.5% of spray vol ACTIVATOR 90 - 0.1% of spray vol + X-Change DIAMOND - 0.5% of spray vol Validate - 0.5% of spray vol ARMA - 0.1% of spray vol DRILL - 0.5% of spray vol ROLLER - 50 ml/ha Velocity - 0.5% of spray vol SPARTAN - 0.1% of spray vol BIOPOWER - 1.0 l/ha FELIX - 0.5% of spray vol VIKING - 0.5% of spray vol BIO SYL - 1.0% of spray vol + X-Change FORTUNE - 0.5% of spray vol SPRYTE AQUA - 0.5% of spray vol + X-Change X-change BIO SYL - 1.0% of spray vol aka Cogent (Procam) KANTOR - 0.15% of spray vol Spryte Aqua CF

PLANT GROWTH REGULATORS	Leave 7 day interval for full rate PGRs. When tank mixing use Palio + adjuvant plus half rate CCC only.†						
ADJUST (< half dose) [†]		ww	CANOPY		METEOR	TERPAL	
3C CHLORMEQUAT 750 (<half dose)†<="" td=""><td></td><td>ww</td><td>CERONE</td><td></td><td>MODDUS</td><td></td><td></td></half>		ww	CERONE		MODDUS		

TRACE ELEMENTS For liquid fertilisers - leave	a three day inter	val				
Bortrac (3.0 l/ha)		Magflo 300 (4.0 l/ha)		Max-phi Manganese	Safe-N (10 l/ha)	
Calfite Extra		Magistrate		Mensa + Abacus	SMART ATS	
Coptrel (0.5 l/ha)		Magphos K (10 l/ha)		Multiple Pro	SMART MagiiK Manganese	
Croplift (5.0 kg/ha)		Maize Boost (5.0 l/ha)		NTS Triple Ten	SMART Manganese	
Epso Top + Abacus		Mancozin (2.0 l/ha)		Nutrino-Pro	Stem	
Foliar Potash (10 l/ha)		Mancuflo (2.0 l/ha)		Nutri-Phite PGA	Stopit (10 l/ha)	
FMC BORON 15	ww	MANIFOL	ww	Proleaf Gate	Sulphur F3000 (10 l/ha)	
FMC Brock		MANTRAC DF (3.0 kg/ha)		Proleaf Jettzin	Terrasorb Foliar Extra	
FMC COPPER	ww	Mantrac Pro (1.0 l/ha)	ww	Proleaf Manganese Extra	Zintrac 700 (1.0 l/ha)	
FMC Mn 500	ww	Master Magnesium + TE + pH modifier Optiphol		Proleaf Quattro		
FMC SUPER 80	ww	Master Manganese Plus		Proleaf Rock		
Liquid Mn 15% (3.0 l/ha)		MaxMan 400 (add trace element first)		Rapitrel (3.0 l/ha)		

Corteva Agriscie

HERBICIDES PLUS FUNGICIDES							
Ally Max SX + Aviator 235 Xpro + Talius		Duplosan KV + Ascra Xpro		STOMP 400 SC + UNIX ^Ø	ww	Zypar + Prosaro**	
Ally Max SX + Prosaro**		STOMP 400 SC + AMISTAR ^Ø	ww	Zypar + Aviator 235 Xpro		Zypar + Prosaro** + Talius	-
Ally Max SX + Prosaro** + Talius		STOMP 400 SC + FANDANGO	ww	Zypar + Aviator 235 Xpro + Talius		Zypar + Talius	
Ally Max SX + Talius		STOMP 400 SC + FLEXITY	ww				-
					•		
HERBICIDES PLUS INSECTICIDES							
STOMP 400 SC + HALLMARK ZEON ^Ø	ww						
			·				
HERBICIDES PLUS TRACE ELEMENTS							
Ally Max SX + FMC Copper		Spitfire* + Nutri-Phite PGA		STOMP 400 SC + FMC SUPER 80 ^Ø	ww	Zypar* + FMC Jett + Bio Syl	
Galaxy* + Nutri-Phite PGA		STOMP 400 SC + FMC BORON 15 ⁰	ww	STOMP 400 SC + FMC ZINC		Zypar* + FMC Manganese 400 + Bio Syl	-
PIXXARO + FMC JETT + BIO SYL	ww	STOMP 400 SC + FMC COPPER ^Ø	ww	STOMP 400 SC + MANIFOL ^Ø	ww		-
PIXXARO + FMC MANGANESE + BIO SYL	ww	STOMP 400 SC + FMC Mn 500 ^Ø	ww	STOMP 400 SC + MANTRAC DF (3.0 kg/ha)	ww		-
					•		
INSECTICIDES PLUS TRACE ELEMENTS							
Hallmark Zeon + Max-phi Manganese							

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience[™] gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. **Important Note**: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply. Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or register a tank-mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899. Physical compatibility data is based on the results of an industry recognised standand test. Be aware that in the field, water hardness, pH, themperature etc. can vary. Biological compatibility data are based on the results of field trials. Corteva Agriscience[™] cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility, so growers use these mixes at their own risk.

NOTES

NOTEs: Palio should always be used with an approved adjuvant. Do not mix Palio with OPs, MCPA and Dicamba. For products containing MCPA or Dicamba respect a 14 day interval between them and Palio. Do not harrow or roll within 7 days before or after an application of Palio.

KEX-

 KEY:

 # Topik is supported in mix with Palio up to the end of February.

 # Residual herbicides can be used in mixture or short sequence with Palio, while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines to reduce residual activity then a 4 week interval between the residual herbicides and an application of Palio is recommended to maximise grass weed control and the tank-mix is no longer supported.

 *Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **Do not exceed maximum total dose of florasulam within growing season.

 **On ont exceed maximum total dose of florasulam within growing season.

 *Corteva Agriscience only support Palio in a 2-way tank mix with half rate chlormequat due to crop safety issues. An interval of at least 7 days must be regarded before applying a higher rate of chlormequat or any other PGR.

UPDATES February 2025: Removed - Cyclops, Hiker, Ice, Impact, Kansas, Manitoba, Mirador Xtra, Priori Xtra, Vareon, Contest, Permasect, Intracrop Felix, Intracrop Warrior, Karate + Brock Added - Surfer (adjuvant) - Hurricane + Pixxaro + Surfer, Liberator + Pixxaro + Surfer, Picona + Pixxaro, Inatreq + Arizona + Elatus Plus, Inatreq + Arizona + Helix, Inatreq + Dithane 945 + Elatus Plus

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agrischence", Unit H, Building HA, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB. ** Trademarks of Corteva Agriscience and its affiliated companies. All other brand names are trademarks of other manufactures for which proprietary rights may exist.

Palio contains florasulam and pyroxsulam Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk



TANK-MIX INFORMATION SHEET

	NOTE THE MAXIMUM DOSE RATE OF PALIO® IN SPRII	ATIBILITY in SPRING WHEAT NG WHEAT IS 200 gm/ha. APPLICATION IS FRU	
	SPRING WHEAT IS DEFINED AS ANY WHEAT PLANTED	U ,	
		READ THE NOTES SECTION	
		edes all previous editions	
rmal = Physically Compatible	Italics = Physically Compatible with Continuous Agitation		Red on Blue = Physically Incompatible
DLD CAPITALS = Physically & Biologically Compatible	Bold Italics = Biologically Compatible with Continuous Agriculture	Igitation	RED ON BLUE = CROP INJURY - INCOMPATIBLE
		•	
RBICIDES			
JOINT APPLICATIONS WITH ALS CONTAINING PRODU	UCTS APPROVED ON SPRING WHEAT HURRICANE + PIXXARO + BIO SYL	MCPA (14 day interval)	
PLOSAN KV	LIBERATOR + PIXXARO + BIO SYL	PIXXARO + BIO SYL	
INGICIDES			
uino + Arizona + Syrex	AVIATOR 235 XPRO + MOJAVE	Dithane 945 + Peqtiga + Tesanto	Mojave + Myresa + Syrex
iino + Syrex ZONA	AVIATOR 235 XPRO + TALIUS AVIATOR 235 XPRO + VEGAS	Dithane 945 + Questar + Velogy Plus ELATUS ERA	Mojave + Vegas MOJAVE + PROSARO
IZONA + AVIATOR 235 XPRO	COLORADO	ELATUS ERA + MIRROR	PEACOQ +PRIAXOR
IZONA + ELATUS ERA	COLORADO + ELATUS ERA	ELATUS ERA + MOJAVE	PEQTIGA + ELATUS PLUS
ZONA + ELATUS PLUS + PEACOQ	COLORADO + LIBRAX	ELATUS PLUS + PEACOQ	PEQTIGA + TESANTO
ZONA + INCONIQ + VELOGY PLUS	COLORADO + PROSARO	ELATUS ERA + TALIUS	PRIAXOR
ZONA + LIBRAX ZONA + PEACOQ +PRIAXOR	COMET 200 CYFLAMID	Flyer + Mojave + Vegas Guardian*	PROLINE 275 PROSARO*
ZONA + PEACOQ + PRIAXOR ZONA + PEQTIGA + ELATUS PLUS	DECOY 250EC		PROSARO* + TALIUS
ona + Peqtiga + Helix	Decoy 250EC + Kavatur Plus + Mojave	LIBRAX	Provyto XE
ZONA + PEQTIGA + TESANTO	Decoy 250EC + Mojave + Serpent	LIBRAX + MIRROR	QUESTAR + VELOGY PLUS
ZONA + PROSARO	Decoy 250EC + Mojave + Silvron Pro	LIBRAX + MOJAVE	Revystar XE
ZONA + QUESTAR + VELOGY PLUS	Diadem XE	LIBRAX + TALIUS	Sentinel*
ra Xpro ATOR 235 XPRO	Dithane 945 Dithane 945 + Elatus Plus + Peacog	MIRROR MIRROR + PROSARO	TALIUS UNIVOQ
ATOR 235 XPRO ATOR 235 XPRO + COLORADO	Dithane 945 + Elatus Plus + Peacoq Dithane 945 + Inconiq + Velogy Plus	MIRROR + PROSARO Mivyto XE	VEGAS
ATOR 235 XPRO + COLORADO	Dithane 945 + Peqtiga + Elatus Plus	MOJAVE	Verydor XE
ATOR 235 XPRO + MIRROR			
		· · · · · · · · · · · · · · · · · · ·	
	, as potential crop damage due to a counteraction of the safener, leave a		
yton Sparta	HALLMARK ZEON	KUSTI	Sven
DJUVANTS			
ACUS - 1% of spray vol	BOOST (Zantra), TONTO (Frontier)	KINETIC - 50 ml/ha	Surfer - 0.5% of spray vol
TIVATOR 90 - 0.1% of spray vol	BUZZ - 0.1% of spray vol	Nelson	TORPEDO II - 0.1% of spray vol
TIVATOR 90 - 0.1% of spray vol + X-Change	DIAMOND - 0.5% of spray vol	RESPOND - 0.5% of spray vol	Validate - 0.5% of spray vol
MA - 0.1% of spray vol	DRILL - 0.5% of spray vol	ROLLER - 50 ml/ha	Velocity - 0.5% of spray vol
DPOWER - 1.0 I/ha	FELIX - 0.5% of spray vol	SPARTAN - 0.1% of spray vol	VIKING - 0.5% of spray vol
O SYL - 1.0% of spray vol + X-Change O SYL - 1.0% of spray vol aka Cogent (<i>Procam</i>)	FORTUNE - 0.5% of spray vol KANTOR - 0.15% of spray vol	SPRYTE AQUA - 0.5% of spray vol + X-Change Spryte Aqua CF	X-change
LANT GROWTH REGULATORS Leave 7 da	y interval for full rate PGRs. When tank mixing use Palio + adjuvant plus	half rate CCC only	
C CHLORMEQUAT 750 (<half dose)†<="" th=""><th></th><th></th><th></th></half>			
RACE ELEMENTS For Liquid fertilisers - leave a t rtrac (3.0 l/ha)	three day interval Magflo 300 (4.0 l/ha)	Max-phi Manganese	Cofe N (101/ha)
lfite Extra	Magistrate	Mensa + Abacus	Safe-N (10 l/ha) SMART ATS
ptrel (0.5 l/ha)	Magphos K (10 l/ha)	Multiple Pro	SMART MagiiK Manganese
plift (5.0 kg/ha)	Mancozin (2.0 l/ha)	NTS Triple Ten	SMART Manganese
so Top + Abacus	Mancuflo (2.0 l/ha)	Nutrino-Pro	Stem
iar Potash (10 l/ha)	MANIFOL	Nutri-Phite PGA	Stopit (10 l/ha)
IC BORON 15	Mantrac 500 (1.0 l/ha)	Proleaf Gate	Sulphur F3000 (10 l/ha)
IC Brock	MANTRAC DF (3.0 kg/ha) Maize Boost (5.0 l/ha)	Proleaf Jettzin Proleaf Manganese Extra	Terrasorb Foliar Extra Zintrac 700 (1.0 l/ha)
	Maize Boost (5.0 l/ha) Master Magnesium + TE + pH modifier Optiphol	Proleaf Manganese Extra Proleaf Quattro	2intrac 700 (1.0 l/fld)
IC COPPER		Proleaf Rock	
C COPPER C Mn 500	Master Manganese Plus	rioledy noek	
C COPPER C Mn 500 C SUPER 80		Rapitrel (3.0 l/ha)	
C COPPER C Mn 500 C SUPER 80	Master Manganese Plus		
C COPPER C MD 500 C SUPER 80 Jid Mn 15% (3.0 l/ha) his summary sheet provides information on tank-mixes cor	Master Manganese Plus	Rapitrel (3.0 l/ha)	is additional information is for guidance purposes only and use is at grower
AC COPPER AC Mn 500 AC SUPER 80 juild Mn 15% (3.0 l/ha) This summary sheet provides information on tank-mixes cor risk. Important Note: Do not use any tank-mix if the mixture can targer, more complicated mixes; unitset mixes or replacing Physical compatibility data is based on the results of an indu efficacy of other tank-mix partners. Where only Physical Cor risk. NOTES: Palio should always be used with an approved adjuvant. Do not mix Palio with OPs, MCPA and Dicamba.	Master Manganese Plus MaxMan 400 (add trace element first) nducted with this product. Corteva Agriscience ¹¹⁴ gives no warranty or accepts no inot be applied within the label recommendations for individual products or if sg alternative products to those listed in this table are not endorsed. However, fo ustry recognised standard test. Be aware that in the field, water hardness, pH, te mpatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience	Rapitrel (3.0 l/ha) Diability in respect to compatibilities that are beyond the label. Th secific tank-mix restrictions apply. further information or to register a tank-mix request please conta more rature etc. can vary. Biological compatibility data are based on	rct your local Corteva representative or call the Hotline on 0800 689 8899. a small number of field trials, Corteva Agriscience™ cannot warrant the
IC COPPER IC Mn 500 IC SUPER 80 Julid Mn 15% (3.0 [/ha) This summary sheet provides information on tank-mixes corr risk. mportant Note: Do not use any tank-mix if the mixture can larger, more complicated mixes; unlisted mixes or replacing Physical compatibility data is based on the results of an indu efficacy of other tank-mix partners. Where only Physical Cor risk. NOTES: Pallo should always be used with an approved adjuvant. Do not mix Palio with OPs, MCPA and Dicamba. For products containing MCPA or Dicamba respect a 14 day Do not harrow or roll within 7 days before or after an applic KEY: Do not use this mix if the crop is under stress as there is this	Master Manganese Plus MaxMan 400 (add trace element first) nducted with this product. Corteva Agriscience ¹⁴⁴ gives no warranty or accepts n not be applied within the label recommendations for individual products or if sg alternative products to those listed in this table are not endorsed. However, fo stary recognised standart est. Be aware that in the field, water hardness, pH, te mpatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience interval between them and Palio. ation of Palio. e increased risk of an additive PGR effect and possible crop damage.	Rapitrel (3.0 I/ha) D liability in respect to compatibilities that are beyond the label. The pacific tank-mix restrictions apply. r further information or to register a tank-mix request please conta mperature etc. can vary. Biological compatibility data are based or e ^w has no biological data regarding efficacy or crop safety and only	nct your local Corteva representative or call the Hotline on 0800 689 8899. a small number of field trials, Corteva Agriscience ^m cannot warrant the has data on physical compatibility, so growers use these mixes at their own
C COPPER C Mn 500 C SUPER 80 did Mn 15% (3.0 l/ha) did Mn 15% (3.0 l/ha) bis summary sheet provides information on tank-mixes cor sk. mportant Note: Do not use any tank-mix if the mixture can arger, more complicated mixes; unlisted mixes or replacing hysical compatibility data is based on the results of an indu fricacy of other tank-mix partners. Where only Physical Cor sk. OTFS: allo should always be used with an approved adjuvant. or not mix Pailo with OPs, MCPA and Dicamba. or products containing MCPA or Dicamba respect a 14 day o not harrow or roll within 7 days before or after an applic EF: Do not use this mix if the crop is under stress as there is th Corteva Agriscience only support Pailo in a 2-way tank mix IPDATES February 2025:	Master Manganese Plus MaxMan 400 (add trace element first) nducted with this product. Corteva Agriscience [™] gives no warranty or accepts no not be applied within the label recommendations for individual products or if sg gaternative products to those listed in this table are not endorsed. However, fo ustry recognised standard test. Be aware that in the field, water hardness, pH, te mpatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience interval between them and Palio. ration of Palio. with half rate chlormequat due to crop safety issues. An interval of at least 7 da	Rapitrel (3.0 I/ha) D liability in respect to compatibilities that are beyond the label. The pacific tank-mix restrictions apply. r further information or to register a tank-mix request please conta mperature etc. can vary. Biological compatibility data are based or e ^w has no biological data regarding efficacy or crop safety and only	nct your local Corteva representative or call the Hotline on 0800 689 8899. a small number of field trials, Corteva Agriscience [®] annot warrant the has data on physical compatibility, so growers use these mixes at their own
IC COPPER IC Mn 500 IC SUPER 80 uid Mn 15% (3.0 l/ha) This summary sheet provides information on tank-mixes cor isk. mportant Note: Do not use any tank-mix if the mixture can arger, more complicated mixes; unlisted mixes or replacing hysical compatibility data is based on the results of an indu fficacy of other tank-mix partners. Where only Physical Cor isk. OOTES: Valio should always be used with an approved adjuvant. bo not mix Palio with OPs, MCPA and Dicamba. So not mix palio with OPs, MCPA and Dicamba.	Master Manganese Plus MaxMan 400 (add trace element first) Inducted with this product. Corteva Agriscience ¹¹⁰ gives no warranty or accepts no not be applied within the label recommendations for individual products or if sg gatemative products to those listed in this table are not endorsed. However, for ustry recognised standard test. Be aware that in the field, water hardness, pH, te mpatibility or Sprayable with Continuous Agitation is shown. Corteva Agriscience and the stable are not endorsed. However, for a start recognised standard test. Be aware that in the field, water hardness, pH, te interval between them and Palio. ation of Palio. ation of Palio. ation of Palio. ation of Palio. ation of Palio. ation of Palio. ation of Palio. uith half rate chlormequat due to crop safety issues. An interval of at least 7 da laxor / Syrex USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS FOR FURTHER INFORMATION INCLUDING WARNING P Corteva Agriscience ¹¹ . Unit, Building H4, Melbourn Science ¹¹ . With H, Building H4, Melbourn Science ¹¹ . With H, Building H4, Melbourn Science ¹¹ . We Tardemarks Of Corteva Agriscience ¹¹ . We Tardemarks Of Corteva Agriscience ¹¹ .	Rapitrel (3.0 I/ha) D liability in respect to compatibilities that are beyond the label. The pacific tank-mix restrictions apply. r further information or to register a tank-mix request please conta mperature etc. can vary. Biological compatibility data are based or e ^w has no biological data regarding efficacy or crop safety and only	nct your local Corteva representative or call the Hotline on 0800 689 8899. a small number of field trials, Corteva Agriscience ^w cannot warrant the has data on physical compatibility, so growers use these mixes at their own