



Spitfire* + Diamant		STOMP 400 SC + CORBEL Ø	ww	STOMP 400SC + FORTRESS Ø	ww		
<b>HERBICIDES PLUS INSECTICIDES</b>							
STOMP 400 SC + HALLMARK ZEON CS Ø	ww	STOMP 400 SC + TOPPEL 10 Ø	ww				
<b>HERBICIDES PLUS TRACE ELEMENTS</b>							
Galaxy* + Nutri-Phite PGA		STOMP 400 SC + HEADLAND BORON 15 Ø	ww	STOMP 400 SC + HEADLAND ZINC		Zypar* + Headland Manganese 400 + Biosyl	
PIXXARO + HEADLAND JETT + BIOSYL	ww	STOMP 400 SC + HEADLAND COPPER Ø	ww	STOMP 400 SC + MANIFOL Ø	ww		
PIXXARO + HEADLAND MANGANESE + BIOSYL	ww	STOMP 400 SC + HEADLAND Mn 500 Ø	ww	STOMP 400 SC + MANTRAC DF 3 kg	ww		
Spitfire* + Nutri-Phite PGA		STOMP 400 SC + HEADLAND SUPER 80 Ø	ww	Zypar* + Headland Jett + Biosyl			
<b>FUNGICIDES PLUS TRACE ELEMENTS</b>							
BRAVO 500 + HEADLAND Mn500	ww	BRAVO 500 + OPUS + HEADLAND Mn500	ww	BRAVO 500 + HEADLAND SUPER 80	ww	BRAVO 500 + OPUS + HEADLAND SUPER 80	ww
<b>INSECTICIDES PLUS TRACE ELEMENTS</b>							
Hallmark Zeon + Max-phi Manganese		(Karate 2.5 WG + Headland Brock)					
<p>This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.</p> <p><b>Important Note:</b> Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.</p> <p>Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899</p> <p>Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.</p> <p><b>NOTES</b></p> <p>Palio should always be used with an approved adjuvant.</p> <p># Topik is supported in mix with Palio up to the end of February.</p> <p>Ø Residual herbicides can be used in mixture or short sequence with Palio, while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines to reduce residual activity then a <b>4 week</b> interval between the residual herbicide and an application of Palio is recommended to maximise grass weed control and the tank-mix is no longer supported.</p> <p>* Do not exceed maximum total dose of florasulam within growing season</p> <p>** Corteva Agriscience only support compatibilities with Palio and SC formulations of tebuconazole <b>NOT</b> the EW formulations as it causes an additive PGR effect and possible crop damage</p> <p>† Corteva Agriscience only support Palio in a 2-way tank mix with half rate chlormequat due to crop safety issues. An intervals of at least <b>7 days</b> must be regarded before applying a higher rate of chlormequat or any other PGR.</p> <p>Do not mix Palio With OPs, MCPA and Dicamba</p> <p>For products containing MCPA or Dicamba respect a 14 day interval between them and Palio.</p> <p>Do not harrow or roll within 7 days before or after an application of Palio.</p> <p><b>Updates</b></p> <p>Products Removed - Absolute, Ally Express,Aria, Bullion, Ductis SX, Exceed SX, Excalibur,,GEX 353, Headland Surefire Gold, Image,Lexus SX, Oklar SX, Oriel SX, Oxytril CM, Primus 25EC, Quantum SX, Staka SX, Triad, Acanto, Acanto Prima, Centaur, Demeo, Ennobe, Excelsior, Flamenco, Landmark, Menara, Olympus SC, Orka, Poraz, Torch, Torch Extra,Dimethoate</p> <p>26th November 2019 - added Lantern, Tower</p>							

**USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL**

Corteva Agriscience™, CPC2 Capital Park, Fulbourn, Cambridge, Cambridgeshire, CB21 5XE. Tel: +44 (0) 1462 457272.

\*TM Trademark of the Dow Chemical Company ("Dow") or an affiliated company of Dow.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Palio contains florasulam and pyroxsulam

Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk

**PALIO® TANK-MIX COMPATIBILITY in Spring wheat**

PLEASE NOTE THE MAXIMUM DOSE RATE OF PALIO® IN SPRING WHEAT IS 200G/HA. APPLICATION IS FROM 1ST MARCH ONLY

SPRING WHEAT IS DEFINED AS ANY WHEAT PLANTED AFTER 1ST FEBRUARY REGARDLESS OF VARIETAL BREEDING

PLEASE ENSURE YOU READ THE NOTES SECTION

Normal = Physically Compatible	<i>(Italics in brackets) = Sprayable with Continuous Agitation</i>	Red on Blue = PHYSICALLY INCOMPATIBLE	RED ON BLUE = CROP INJURY
BOLD CAPITALS = Physically & Biologically Compatible	<b>(BOLD ITALICS IN BRACKETS) = Biologically compatible - maintain constant agitation</b>		

**Herbicides**

NO JOINT APPLICATIONS WITH ALS CONTAINING PRODUCTS APPROVED ON SPRING WHEAT

AXIAL PRO	SW	DUPLOSAN KV		PIXXARO + BIOSYL	SW		
-----------	----	-------------	--	------------------	----	--	--

**Fungicides**

ADEXAR + ARIZONA	SW	ARIZONA + ELATUS ERA	SW	BRAVO 500 + ELATUS ERA	SW	BRAVO 500 + OPUS TEAM	SW
ADEXAR + BRAVO 500	SW	ARIZONA + JENTON	SW	BRAVO 500 + ELATUS ERA + TALIUUS	SW	BRAVO 500 + OPUS TEAM + TALIUUS	SW
ADEXAR + BRAVO 500 + TALIUUS	SW	ARIZONA + LIBRAX	SW	BRAVO 500 + JENTON	SW	BRAVO 500 + PROSARO*	SW
AMISTAR OPTI	SW	ARIZONA + PROSARO		BRAVO 500 + JENTON + TALIUUS	SW	BRAVO 500 + PROSARO* + TALIUUS	SW
AMISTAR OPTI + ARIZONA	SW	AVIATOR 235 XPRO + BRAVO 500	SW	BRAVO 500 + LIBRAX	SW	ELATUS ERA + TALIUUS	SW
AMISTAR OPTI + TALIUUS	SW	AVIATOR 235 XPRO + BRAVO 500 + TALIUUS	SW	BRAVO 500 + LIBRAX + TALIUUS	SW	PRIAXOR	SW
ARIZONA + AVIATOR 235 XPRO	SW	BRAVO 500 + BRUTUS	SW	BRAVO 500 + MANTRA	SW	PROLINE 275	SW
ARIZONA + BRUTUS		BRAVO 500 + BRUTUS + TALIUUS	SW	BRAVO 500 + MANTRA + TALIUUS	SW		

**Insecticides** Don't mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

HALLMARK WITH ZEON	SW						
--------------------	----	--	--	--	--	--	--

**Growth Regulators** Leave 7 day interval for full rate PGRs. When tank mixing use Palio + adjuvant plus half rate CCC only†

3C CHLORMEQUAT 750 (-half dose)†	SW						
----------------------------------	----	--	--	--	--	--	--

**Trace Elements** For Liquid fertilisers - leave a three day interval

(Bortrac 3 L)		HEADLAND Mn 500		Mantrac 500 1 L		Nutri-White PGA	
Coptrel 0.5 L		HEADLAND SUPER 80		MANTRAC DF 3 kg		(Rapitrel 3 L)	
(Croplift 5 kg)		Liquid Mn 15% 3 L		Master Magnesium + TE + pH modifier Optiphil		Safe-N 10 L	
(Epsa Top + Abacus)		(Magflo 300 4 L)		Master Manganese Plus		SMART ATS	
Foliar Potash 10 L		Magphos K 10 L		Maxie Boost 5 L		SMART Magiik Manganese	
HEADLAND BORON 15		(Mancozin 2 L)		MaxMan 400 (add trace element first)		SMART Manganese	
(Headland Brock)		(Mancuflo 2 L)		Max-phi Manganese		Stopit 10 L	
HEADLAND COPPER		MANIFOL		Mensa + Abacus		Sulphur F3000 10 L	
						Zintrac 700 1 L	

**COMBINATION MIXES**

**FUNGICIDES PLUS INSECTICIDES**

AMISTAR OPTI + HALLMARK WITH ZEON	SW						
-----------------------------------	----	--	--	--	--	--	--

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.

**Important Note:** Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

**NOTES**

Palio should always be used with an approved adjuvant.

\* Corteva Agriscience only support compatibilities with Palio and SC/EC formulations of tebuconazole NOT the EW formulations as it causes an additive PGR effect and possible crop damage

† Corteva Agriscience only support Palio in a 2-way tank mix with half rate chlormequat due to crop safety issues. An intervals of at least 7 days must be regarded before applying a higher rate of chlormequat or any other PGR.

Do not mix Palio with OPs, MCPA and Dicamba

For products containing MCPA or Dicamba respect a 14 day interval between them and Palio.

Do not harrow or roll within 7 days before or after an application of Palio.

**Updates**

New tank-mix list

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, CPC2 Capital Park, Fulbourn, Cambridge, Cambridgeshire, CB21 5XE. Tel: +44 (0) 1462 457272.

\*TM Trademark of the Dow Chemical Company ("Dow") or an affiliated company of Dow.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Palio contains florasulam and pyroxulam

Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk